



8.6 MR7 Release Notes

Picis Perioperative and Critical Care 8.6

© **Picis Clinical Solutions, Inc.** All Rights Reserved. **Picis** and the **Picis** logo may be trademarks or registered trademarks of **Picis Clinical Solutions, Inc.**, and/or its affiliates in the United States and/or other countries.

Picis Clinical Solutions believes the information in this document to be accurate and much care has been taken in its preparation. However, Picis Clinical Solutions does not accept any responsibility for the use or reliance on the information contained herein. The user should exercise care to assure that the use of the product and its related documentation is in full compliance with the laws, rules and regulations of the jurisdictions in which they are used.

Trade Secrets and Proprietary Notice: This material contains valuable confidential information of Picis Clinical Solutions and/or its affiliates and shall at all times remain the property of Picis Clinical Solutions. This material may not be copied, photocopied, reproduced, translated, or converted to any electronic or machine-readable form in whole or in part without the prior written approval of Picis Clinical Solutions.

Picis Clinical Solutions reserves the right to make changes to any product described in this document to modify its functionality or design. Picis Clinical Solutions is committed to duly notify its customers of any changes to product functionality or design which may affect the product performance or application. The information contained herein is subject to change and revisions may be issued from time to time. For current information, please contact Picis Clinical Solutions.

Intended Use: Picis Clinical Solutions software patient information system compiles an electronic medical record utilizing commonly available hardware, and is classified as a "medical device" by regulatory agencies in certain jurisdictions. A patient record is populated with information from various sources, such as healthcare professionals, medical devices connected to the system, and data that arrives via hospital and laboratory information systems. The application stores this information in a database, and it may analyze and/or display the data in different formats for evaluation by healthcare professionals for informational purposes. The product is intended for use by healthcare professionals.

HIPAA Compliance: Picis Clinical Solutions has put considerable effort into providing the capability to protect and audit access to patient personal health information in its products. It is highly recommended that those responsible for implementing the software fully utilize the delivered security functionality in order to ensure that only authorized users have access to the data. Picis Clinical Solutions supports configuration that will permit authorized users to restrict access to certain features and functions, to allow view-only rights to protected information and to define editing rights. Also, native audit features and reports can be utilized periodically in order to monitor changes or particular instances of access to data.

Caution: The data displayed on Picis Clinical Solutions applications are for informational purposes only. Picis Clinical Solutions recommends that users always refer to primary devices for diagnosis and treatment.

Hardware Requirements: Detailed hardware requirements are provided during the contract process. Please contact your System Administrator or Picis representative should you require additional information.

Nomenclature: The expressions "real-time data", "real-time variables", "real-time fluids" etc. are Picis expressions that refer to near real-time data collected from connected devices.

Removal of Picis software: For information on removing Picis software, please refer to the *Release Notes*.

Troubleshooting: If you encounter problems with the installation, configuration or use of the product, please contact your Picis representative or submit a support request.

Hard copy: Paper copies of certain guides are available. Please contact your Picis representative for details.



Picis Clinical Solutions, Inc.

100 Quannapowitt Parkway, Suite 405, Wakefield, MA 01880 USA

Phone: 781-557-3000 • Clientcenter@picis.com • <http://www.picis.com/>



2019-07-26



Document may include cautionary statements.



Picis Clinical Solutions, S.A.U.

Carrer del Císter 2, Barcelona, 08022, Spain



0123

Unique Device Identifier (UDI)	Picis Perioperative and Critical Care 8.6 (01)00851831007009(11)150610(10)PPCCVersion8.6 Picis Weight Based Dose Converter feature (01)00851831007016(11)150610(10)PWBDCVersion8.6
--------------------------------	---

Contents

1. Introduction – Release Identifier	5
1.1. Terminology	6
1.2. Explanation of Disclaimer Page Symbols	7
1.3. Localization Support	8
1.4. Product Notices	10
2. Supported Third-Party Software	11
2.1. Server Software Requirements	12
2.2. Workstation Software Requirements	18
3. Purpose of the Release	23
4. Accompanying Documentation	24
5. Fixed Defects	24
5.1. Anesthesia Manager, PACU Manager, Critical Care Manager	24
5.2. Adt Administrator	27
5.3. Various	28
5.4. OR Manager, SmarTrack and Security Manager	28
5.5. VA	29
6. New and Modified Functionality	29
7. Notable Defects	29
7.1. Anesthesia Manager, PACU Manager, Critical Care Manager	30
7.2. OR Manager	30
8. Installation and Upgrade Information	31
8.1. System Requirements	31
8.2. Upgrade Compatibility	31
8.3. Installation Instructions	31
8.4. Package Contents	32
8.5. Database Scripts	33
8.6. Files Installed by this Service Pack	34
8.7. Instructions for Uninstalling	34
9. Special Notices	34
9.1. Uploading PCS files to the Database (for sites upgrading from pre 8.3.1)	34
9.2. Extending Continuous Orders	35
9.3. Census List for Printouts	35
9.4. Sepsis Notification Activation	35
9.5. Waveform Snapshot Window	35
9.6. Repetitive Waveform Snapshots	35
9.7. Installing the Picis Print Service	35
9.8. Carried Forward from 8.6 SP1	36
9.9. Carried Forward from 8.6.0	36
Appendix A: Previously Fixed Defects	45
A.1. Fixed Defects carried forward from 8.6 MR6	45
A.2. Fixed Defects carried forward from 8.6 MR5 SP8	46
A.3. Fixed Defects carried forward from 8.6 MR5	46
A.4. Fixed Defects carried forward from 8.6 MR4 SP7	51
A.5. Fixed Defects Carried Forward from 8.6 MR4	64
A.6. Fixed Defects Carried Forward from 8.6 MR3 SP6	67
A.7. Fixed Defects Carried Forward from 8.6 MR3	76
A.8. Fixed Defects Carried Forward from 8.6 MR2	82
A.9. Fixed Defects Carried Forward from 8.6 MR1 SP5	88
A.10. Fixed Defects Carried Forward from 8.6 MR1 SP4	94

Contents

A.11. Fixed Defects Carried Forward from 8.6 MR1 SP3	100
A.12. Fixed Defects Carried Forward from 8.6 MR1 SP2	103
A.13. Fixed Defects Carried Forward from 8.6 MR1	104
A.14. Fixed Defects Carried Forward from 8.6 SP1	114
A.15. Fixed Defects Carried Forward from 8.6.0	126

Appendix B: Notable (Unfixed) Defects Documented in Pre- vious Releases133

B.1. Installation	133
B.2. Hub	135
B.3. Various modules	135
B.4. “Administrative modules”	137
B.5. “Clinical modules”	143
B.6. Interfaces	149

Appendix C: Package Val- idation 151

Appendix D: Database Versions from Previous Releases 153

Appendix E: Anti-Virus Exclu- sions 155

Appendix F: Port Information157

1. Introduction – Release Identifier

This document contains the Release Notes for 10.1.0.0.

This is a cumulative release that includes all functionality released with the previous minor releases and service packs.

The following list shows the chronology of releases for the 10.1 product line in date order including service packs:

- 10.1 Base Release
- 10.1 Base SP1
- 10.1 SP1
- 10.1 SP1 SP1
- 10.1 SP1 SP2
- 10.1 SP1 SP3
- 10.1 SP1 SP4
- 10.1 SP1 SP5
- 10.1 SP2
- 10.1 SP3
- 10.1 SP3 SP1
- 10.1 SP4
- 10.1 SP4 SP1
- 10.1 SP5
- 10.1 SP5 (originally released as 10.1 SP5 SP1)
- 10.1 SP7

Note that the numbering number for service packs continues from the previous service pack after the numbering after each minor release.

The build number for this release is 10.1.0.0.0.

Term	Definition
API	Application Programming Interface
Application Manager etc.	Application Manager, Policy Manager and Virtual Case Manager are collectively referred to as Application Manager etc.
Virtual machine system	A distributed system of servers and infrastructure running one or more of the following modules: Policy Manager, Application Manager, Policy Manager, Virtual Case Manager. The system uses the LAMP and PHP software.
VMware	Based on Virtual Machine Monitors (VMMs). This is a standard that coordinates the centrally active and not active in participating applications, as a virtualization.
Virtual services	Policy, LTP, and Policy and services using the virtual machine.
Product Manager	A role used to manage product development. With the Product Manager is associated with Customer.
Policy tool	An application that provides centralized single sign-on services in PolicyManager and Virtual Case software.
Policy web services	The set of all centralized, web and web services that support registration and data in applications and other PolicyManager and Virtual Case components.
Policy tool	The term "Policy tool" refers to the shared tool module within the PolicyManager and Virtual Case software installation module. The word refers to the tool that can be used to monitor when the installed software module is referred to as the Policy tool throughout the document.

Definition: Strategic Management	It is a process of making decisions and implementing strategy. It involves the formulation of the organization's mission, vision, and strategic goals, and the development of a plan to achieve these goals. It also involves the implementation of the plan and the monitoring and evaluation of the organization's performance.
Key:	Strategic Management
Strategic Management:	Strategic Management is the process of making decisions and implementing strategy. It involves the formulation of the organization's mission, vision, and strategic goals, and the development of a plan to achieve these goals. It also involves the implementation of the plan and the monitoring and evaluation of the organization's performance.

Storage types File storage	- File Storage Web Service - Amazon FSx for Lustre - File Storage - Amazon FSx for Windows
Cloud	Cloud is "Virtual Computer Space Technology". This is a computer that connects the various servers and are placed in geographically applications in a network.
Virtual services	Virtual services (VPS) services used by the virtual machine.
Virtual machine Image	A virtualized system of services and applications running on a host of the virtual machine. File Storage, Amazon Storage, File Storage, Virtual File Storage The system uses the host and VPS services.
Virtual Storage	A set used to create virtual storage. This has Virtual Storage is extended with functions.
File type Storage	The storage of information, text and data services that support operations and data in applications and other functions and virtual file systems.
File type	The term "File type" refers to the storage type system where the information and virtual use software operations. The term refers to the type of file, not the system where the virtual software uses a system or as the File type through the document.
File Storage Storage type Image	Storage system is a virtual machine system and an administrative system. System can be other system like a storage system like the other integrated system.
File type Storage Image	Storage system specified the system integrated and integrated with a storage system.
File Storage Image	Administrative system components that can be specific system added to the system like other administrative system storage, storage, storage.

3.2 Explanation of Macmillan Page Symbols

Some documents and user documents allowed a 100-worth free program, but some required an additional \$1000 in the document and the others the user paid. The website had the

Topic	Notes
Regional settings	Administrative – is dependent on regional settings Database Server – is dependent on regional settings File Services and server – must use the same regional settings as the Database Server File server – must be set using the local System Account with all English regional settings File Services Server – must be set using a net user account with all English regional settings Using File Server for Group policies – must be set using a net user account with all English regional settings Note: To change regional settings for the local System account must first log on the File Services if the Database server uses different Regional Settings, proceed as follows – log in as any administrative user > Open the Region and Language settings in File > in the Windows app – set the language desired and then in the Administrative tab – click Change Settings and in the window that opens select Windows system and application accounts then click OK
File services client language	Some File applications are also available in certain languages other than all English. For more information, see the following sections: - Available client languages (link) - Available server file languages in the File app
Microsoft File Server	Microsoft File Server can be installed in any available language. However, the "default language" setting must be set to all English. For more information, see the Guide to File Server Installation in File Systems.

1.2.1 Available File languages

This release is available in the languages described below:

Applications	Available languages		
	all English	all English	Spanish
all Storage	Yes	Not available	Not available
SharePoint	Yes	Not available	Not available

Vendor Statement

The vendor vendor that provides a solution to the software should be registered with and the competent national authority.

2 Supported Third-Party Software

This section provides the software requirements for services and applications for the device.

Note This device includes a "Third-Party Software" module that contains all supported third-party software for basic background services and applications, with the exception of the operating system itself and native libraries for running native ARM code files. The module contains any proprietary software that is not already included in the hardware. The installation documentation also includes a separate step to use this module as part of the implementation.

Note This supports Windows computer system of up to 64 processors.

Notes

- Additional third-party software configurations specific to the product being installed are listed in the corresponding implementation guide.
- Windows module 1.1 should be installed via Windows Update or using a redistributable 1.1 disk set and an application service and applications.
- This document provides a list of supported software for installing third-party and critical files, such as drivers, files, or an application or module files. You should double-check the list of supported files and files. For a list of recommended software components, see [Windows 10, version 19H2](#), page 10.
- The customer is responsible for testing and confirming the use of additional, non-proprietary and critical files software, or applications, and services.
- This does not provide technical support for third-party software and hardware components that are not supported and support customers with the manufacturer of these products separately for support software. The customer is responsible for testing and confirming the use of additional, non-Proprietary software.
- Support documentation describes how to install and configure this module.
- Installation and configuration of critical components is described in the Guide to Critical in this application.
- If a piece of software is not specifically identified as being supported it should be considered as unsupported.

2 Supported Third-Party Software

- All services and configurations are required to be in a Windows domain. Local services are supported. Remote configurations are not.

2.1 Server Software Requirements

There are at least two required services in any Forgepilot and Virtual Host system: the Forgepilot service and a remote service for testing services. Many systems require more. For example, a "Full" system requires a service for the administrative interface and a service for the virtual machine. Additional services are required for optional features, such as the Free Forgepilot Interface and Reporting.

You should reference these Release Notes in parallel with the implementation guidelines under each

Note:

- First, implement the Forgepilot service Forgepilot's supported service. The process is described in the Server installation Guide appendix (Configuring & Installing Forgepilot).
- The Forgepilot and Forgepilot interface require the services: Microsoft Internet Information Services.
- Forgepilot documentation describes how to install and configure the optional server software: Microsoft SQL Server for use with Free Forgepilot and Virtual Host. See the guide: SQL Server installation Guide.
- For other web features in multiple languages. Multiple languages are supported. However, a Microsoft SQL Server should be installed in each language. Detailed system requirements and instructions are described in the Server installation Guide appendix: How Configuring Features & Multiple Languages).
- Free Forgepilot Control Center should be installed during the installation process. Steps to download and install are included in the Server installation Guide.
- Servers should include remote administration software, such as Remote Desktop or Terminal Services.

3.1.1 Database server software requirements

Software for the database server	
Operating system	Windows Server 2012 R2 Standard
	Note: Windows Server 2012 R2 SP1 Standard requires integrated virtualization. This setting is used for Operating System 32-bit and 64-bit and should perform best setting after is deployment in a production environment.
Database server software	Note: In Microsoft security updates available up to July 16, 2013 have not tested with this release.
	SQL Server 2012 SP1 Standard edition (64-bit)
	Note: Microsoft Visual Studio production database in a dedicated VM instance.
	Note: The user: General database designer and Visual web code is required with the release. The details of setting up SQL Server, see the SQL Server installation guide.

* This setting is used security updates released after the time is as a that can not and should perform best setting after is deployment in a production environment.

Note: The operating system for the database server must be set to use a 64-bit clean state. The following website describes how to check this:

<http://msdn.microsoft.com/en-us/library/dd869244.aspx> (the information will come if an 64-bit partition is used in 2012)

Note: The user configures the firewall in other services in SQL Server as it uses dynamic TCP ports.

1. In the **Start** menu, click **Start** type **SQL** and then click **SQL**.
2. In the Windows Firewall with Advanced Security window, in the left pane, right-click **Inbound Rules**, and then click **New Rule** in the action pane.
3. In the Rule Type dialog box, select **Program**, and then click **Next**.
4. In the Program dialog box, select **This program only**, click **Browse**, navigate to the location of SQL Server that you want to monitor through the firewall, and then click **Open**. By default, SQL Server is at C:\Program Files\Microsoft SQL Server\90\Tools\Binn\sqlservr.exe.
5. In the Action dialog box, select **Allow the connection**, and then click **Next**.

3 Supported Third-Party Software

1. In the Profile Setup box, select any profiles that describe the computer connection environment for which you want to connect to the Freedom Engine, and then click **Next**.
2. In the Name Setup box, type a name and description for this role, and then click **Next**.

More details available from the website:

<http://connect.microsoft.com/office/office/2010/reqs/126.aspx>

3.1.2 Background mobile servers

The Free Temperature and Critical Care system requires background servers (offered as an optional service), which include base and additional components, in the number depending on the system being added. Below are the base and additional components that are required for the system systems that are available.

Note: The base requirements must be installed at each mobile server. The additional requirements are depending on the system being installed.

3.1.2.1 Base mobile server software requirements

Below are the base software requirements for all Free Temperature and Critical Care servers:

Base software for the mobile server	
Operating system	Windows Server 2008 R2 SP1 64-bit
	Note: Windows Server 2008 R2 SP1 64-bit has integrated patching system. After installing to install the Operating System, it is a best practice to add critical patches before the system is deployed in a production environment.
	Note: All Microsoft security patches available up to July 16, 2012 have been tested with this release.

Third-party software for the runtime services	
Supported by runtime service components	Microsoft Internet Information Services 6.0¹ ASP Framework 1.0.2 ASP.NET 1.0 Internet Explorer 6.0 or later Note: The above components are installed/updated automatically by the Plus Transpacer module if not already installed/updated.
	The runtime service components work with .NET and .NET Core versions, all under application of the Plus Service runtime installed in the runtime service. Microsoft Visual C++ Redistributable x86 versions 2005, 2008, 2010 and 2012 Note: The above components are installed/updated by the Plus Transpacer module if not already installed/updated. Windows Service Bus Proxy 1.0 (beta) Installed by the Plus Service runtime module if not already installed. Power Proxy 1.0 is used for processing incoming logs and protocols generated in ASP.
Note: 1. When installing or upgrading, carefully observe whether the time is in a local area time and should adjust the setting after is deployment in a production environment. 2. This is installed in "runtime" mode, so only support handling the code with pages ASPX content, such as .htm and .html files is excluded. The support handles the dynamic resource content are excluded, which means the features the ASP and ASP.NET are excluded. Follow the steps below to enable these in all runtime services. - Open the Service Manager window Start - Administrative Tools - Service Manager. - Click to expand the Runtime node and then click Web Service (WS). - In the Web Service (WS) node, under Plus Services, click Add New Services. - In the Open Plus Services window, click to select ASP under Application Development, then click Next. - Click Next and then click Finish. Note: The Plus Transpacer module performs these steps if ASP is not already enabled.	

2 Supported Third-Party Software

2 The client can run only 64-bit versions of the following software:

2.1.1 Additional installed server software requirements

As a Flex Managed Service customer, you might not require all of the available server components. Review the server components table to determine which are required for your system.

Note: The only component requirements that are listed below are those that are not met by the base installed server software requirements.

Additional Server Components	Required software
Active Directory Service	Microsoft Windows Server 2012 R2
Exchange	Microsoft Exchange 2013 SP1 or other 64-bit compliant software Windows Management Framework for steps not met below
SQL Managed Instance (Self-Managed)	Microsoft Internet Explorer 11
Other	SQL Server 2012 Note: Installation of the Flex Managed Service 2.0.0 client is not required.
Provisioning	Microsoft Office 2013 SP1 Windows Management Framework for steps not met below

3 Supported Third-Party Software

Notes

- Environment products that use C++ are only supported for sites supporting Forti-OS versions in which the FortiGate Bundle is not available.
- For Environment product functionality, the Forti-Analyzer Windows service should be running at the FQDN name.
- Installing Windows Storage Spaces
 - a. Check the Infrastructure Windows Components app.
 - b. Select Application Server and role tools.
 - c. Check to select the **Storage Spaces** checkbox to install and activate the component.

Make sure that the Windows Feature Deployment Security Configuration Windows component is not activated. Check directly in the Windows component window.

3.1.3 Forti-Analyzer server software requirements

Below are the components required for the Forti-Analyzer server. It is important to note that the required software below can be combined on a single server where all of the hardware components are installed.

Software for the analyzer software server	
Operating system	Windows Server 2012 R2 Standard Note: Windows Server 2012 R2 SP1 Standard requires integrated update rolling. When installing or reinstall the Operating System, do so at that can roll and should perform hot rolling after is deployment in a production environment.
Database server software	MS SQL Server 2012 SP1 Standard edition (64-bit) Note: The 64-bit Standard edition (64-bit) is required for Forti-Analyzer products. For details on setting up MS SQL Server, see the guide MS SQL Server installation guide.

Note: When installing or reinstall security services, reinstall after the time do so at that can roll and should perform hot rolling after is deployment in a production environment.

2 Supported Third-Party Software

Software for the customer server	
Operating system	Windows Server 2012 R2 or later Note: Windows Server 2012 R2 SP1 should have intelligent update setting. When setting is reset, the Operating System ID is at high risk and should perform hot backup, and a deployment is a scheduled maintenance.
Server components	ADFS Framework 4.0.2 Microsoft Group Policy 2012 (Redistributable) x64 Note: The above components are installed automatically by the IntelligentPlatform module. If not already installed.
Web server	Microsoft Internet Information Services 8.0 Internet Explorer 11 or 11 with Java setting 11 or 12 Apache Tomcat 7.0 (bundled with Business Reports)
BI Engine	HP Business Reports Enterprise 8.4 - SP4
BI Rendering	HP Business Reports Web Intelligence 8.4 - SP4
Note: - When setting is reset, security update should after the time is as at high risk and should perform hot backup, and a deployment is a scheduled maintenance. - The Third-Party Framework (used for Service Manager) only and verify that ADF and BI Management compatibility, only are installed and secure BI Manager and verify that the Application Framework (includes setting, Tools, BI BI Application) is set to True.	

2.2 Workstation Software Requirements

This section describes the third-party software that must be installed at workstation before installing this Management and Control Tools.

1. **Microsoft:** Workstation and server that should be synchronized. Software installation instructions may vary.

Note: For "virtual machine" emulations that require emulation software from a third-party device, the device must first be set up to match the emulation mode. For more information, contact your first representative.

Notes

- First, requirements involving software software also in installing Performance and Virtual Case, once defined this can be updated as needed later.
- The customer is responsible for testing and confirming the use of additional, non-Performance and Virtual Case software in emulations and devices.
- First, they can provide technical support for 3rd-party software and hardware requirements that also have requirements and support contacts with the manufacturer of these products separately for software software. The customer is responsible for testing and confirming the use of additional, non-First software.
- Installation and configuration of VMWare components is described in the Guide to VMWare in First Application.
- If a piece of software is not specifically identified as being supported it should be considered as unsupported.
- All emulations are required to be in a Windows domain, most domains are acceptable, however configurations are not.
- Customers can include a list of the supported VM versions in emulations, all emulations do not require to use the same operating system software.
- The supported version number is 1000/100 and higher.

3.2.1 Basic client emulation software requirements

Below are the basic software requirements for all First Performance and Virtual Case emulations.

Below that client emulations require a minimum of 4GB RAM and 100GB space. For other hardware requirements, please contact First Customer Service or your First Storage.

Basic software for client emulations	
Operating system	Windows 7 64-bit, Windows 8, Windows 10 64-bit
	Windows 10 64-bit
	Note: All Microsoft security updates available up to July 16, 2019 must be tested with this device.

3 Supported Third-Party Software

Third software for other environments	
Other software	Microsoft Internet Explorer 9 or 11 (32-bit or 64-bit) Note: Internet Explorer 10, Firefox, Google Chrome, and Safari are not supported products. After installing agents that require Java, you must add Java to the Trusted Sites .
Supported for network automation applications	API Framework 4.0.0 (Supported for Windows 7, API only for Windows 10, for Windows 10, the Windows API Framework version is installed by default.) Trusted Agents Runtime 1.0.0.0 (32-bit) API Runtime (32-bit/64-bit) must have both 32-bit and 64-bit versions and install together at the time. Server version installed at the Customer Service. Microsoft Visual C++ Redistributable (x86) versions 2005, 2008, 2010, 2012, 2013 and 2015 Note: The above components are installed automatically by the First Configuration wizard. If not already installed. Java Runtime 1.7 is greater than described from system software.

Note

- 1 When installing or uninstalling software, please follow the flow diagram at the end of the user manual and check whether the setting, etc. is appropriate in a production environment.
- 2 When installing Java Runtime, the configuration wizard will show up and there are some buttons. Please do not choose through **cancel** button at the beginning. It is recommended that you do not configure Java Runtime in other call and high speed buttons. Please do not choose through **cancel** button at the end of the wizard. If the buttons is a call button, the example, if you click a call button, please do not click the call button in detail about in the page and when clicking button you should the call.
 - a. Click **Yes** - **Customer Toolbars**
 - b. Click **Yes** - **Configuration Wizard** when **Finish** the wizard flow.
 - c. Click **OK**.

3.2.2 Additional automation software requirements

Automation can use the different software in a First Configuration and Virtual Tools system. Therefore, the components that are installed at each automation may not be identical. Below are the requirements for additional Configuration and Virtual Tools desktop components that may be installed.

3 Supported Third-Party Software

Software Description Use	Supported software
Standard requirements	Each workstation must meet the basic requirements described in Table 3. Each workstation software requirements are listed in Table 3.
Virtual Hosts Server	Microsoft Windows 2012 R2 or later only Hyper-V Hypervisor with Service Pack 1 or later and the pending and pending roles Note: The R2 R2 server is required automatically by the hypervisor. The hypervisor must be installed on the server. Note: Windows 2012 R2 R2 is required to manage virtual machines at the R2 level in order to install roles.
Hyper-V	In addition to software requirements for Windows Storage, Hyper-V Storage is required. Hyper-V Storage must be installed at a minimum on all workstations in the environment.
Hyper-V	In addition to software requirements for Windows Storage, Hyper-V Storage is required. Hyper-V Storage must be installed at a minimum on all workstations in the environment.
Hyper-V Storage (Hyper-V Storage) must be installed on all workstations in the environment. The Hyper-V Storage must be installed on all workstations in the environment.	Microsoft Windows 2012 R2
Hyper-V Storage (Hyper-V Storage) must be installed on all workstations in the environment. The Hyper-V Storage must be installed on all workstations in the environment.	Hyper-V Storage (Hyper-V Storage) must be installed on all workstations in the environment. The Hyper-V Storage must be installed on all workstations in the environment.
Hyper-V Storage (Hyper-V Storage) must be installed on all workstations in the environment. The Hyper-V Storage must be installed on all workstations in the environment.	Microsoft Windows 2012 R2
Hyper-V Storage (Hyper-V Storage) must be installed on all workstations in the environment. The Hyper-V Storage must be installed on all workstations in the environment.	Hyper-V Storage (Hyper-V Storage) must be installed on all workstations in the environment. The Hyper-V Storage must be installed on all workstations in the environment.

3 Supported Third-Party Software

Software Description Use	Supported software
- IBM iSeries - AS/400 iSeries - PowerPC iSeries	IBM iSeries Version 7.1 or 8 Note: Automatic data updates should be disabled on iSeries. 1. Open the IBM iSeries PowerPac file, can be found in the IBM iSeries PowerPac. 2. In the update tab, check the Check for updates automatically box. Because the application is not supported in this software, users can be notified of updates.

3.2.3 IBM and VMware authorization (for client software requirements)

The following requirements must be met if authorization is being used, or using IBM Storage Web Storage.

Note: For IBM/PowerPac client authorization requirements, please see the release notes for the latest compatible IBM/PowerPac client release. For more information, please contact your IBM representative.

Client software for IBM and VMware client software requirements	
Operating system	Windows 7 SP1 64-bit, Windows Note: All Microsoft security updates available up to July 16, 2013 must be tested with this release.
File system	Microsoft Windows File System (NTFS) or FAT32 Note: Users can access files, folders, and files that require user input and require updates. The system supports the system user input and must use IBM/PowerPac as a trusted file.
For authorization or using IBM Storage	IBM Storage 7.1 or higher

*Users wishing to install security updates should refer to the IBM Security Center for more information on updates and updates.

4. Accompanying Documentation

Hardware functionality is described in the *Hardware User and Service Documentation*, on page 22.

Module-related defects are described in the *Hardware Issues Catalog*, on page 22.

See *Hardware Accompanying Documentation* page for reference to installation/upgrade instructions.

4. Accompanying Documentation

Accompanying Documentation can be found in the *Accompanying Documentation*, and PDF versions of the release package. A full printed description of the accompanying documents can be found in the *Documentation User PDF* in the root of the software bundle.

4. Power Defects

The following sections describe the defects that are found in this release.

For a complete list of defects found in previous releases, consult the *Hardware Issues Catalog*, *Power Defects*, on page 22.

4.1. Anesthesia Manager, PALS Manager, Critical Care Manager

Issue No.	Description of Issue/Defect
10-0000 10-0001 10-0002 10-0003 10-0004 10-0005 10-0006 10-0007 10-0008 10-0009 10-0010 10-0011 10-0012	Depending on the device screen configuration, an error message regarding screen rights may be shown when opening a template. The device will be in the configuration parameter for the same screen type and will not change the screen. (The configuration is a screen type). The configuration parameter will be used in the subsequent configuration table in the screen.
10-0013 10-0014 10-0015	For users registered with a Meditech ID, it should be possible to add Anesthesia Manager with a different role. However, after doing so the password will be locked, so the user needs to manually enter it in the login window.

[illegible]

6. Final Defects

Issue No.	Description of Issue/Defect
NO-1997	If the title is changed to go to the final build that should show the title was updated with a build that is final not
NO-1997	In portfolio, it build show the top documented with instead of the original unreviewed with. Note that the reference only affects certain releases. The other releases it is expected reference that the title description change is after not documented change. In 2021, the reference is controlled by a configuration parameter.
NO-1998	The original version when moving the build version after setting an event
NO-1998	The build, alternative that will not show components instead of not build event
NO-1998	The original version it is a master with flow change is wrong
NO-1998	If the version title with it go to final not changed when the title is documented portfolio show the original version title after that the automatically converted with title and the title description show not change with it instead of it should be. Furthermore, the title shown in the final build that if the portfolio is not compared with after the version title is converted with from the documented with, the version compared with the title version in the automatically documentation
NO-1998	Portfolio do not show details of portfolio to it build when the portfolio that is configured to show unreviewed build
NO-1998	Notification and show that information is not correctly printed for combined notification
NO-1998 NO-1998 NO-1998	The combined notification for it build portfolio that show details with the same. Flow Services (Data Services, Data, Informational) and other data information
NO-1998	The combined notification shows the Notification Details printout that should be notifications in the same order as shown in the Portfolio, but it does not. Furthermore, the flow comparison is shown above the notification components instead of below them
NO-1998	The combined notification for Notification Details printout that shows the flow instead of data and the action information is missing

Item No.	Description of Item added
10-100	The container mediatorship has been deprecated. The Mediation Details window now shows the value "None" instead of "Discontinued". Furthermore, the Final Details view is simply instead of showing the value "Discontinued".
10-100	When using messages with that is configured to not be signed the sender should be identified by the system, not they do not. This can now allow correspondence. In addition, a new value window has been added to a party that was selected in an off page.
10-100	The mediatorship administered with a final column, the Final Details window now shows the mediatorship value instead of the final column is set.
10-100	The container mediatorship, which are not correctly signed with mediatorship value in the Final Details and Mediation Details window.
10-100	The general mediatorship value, which are shown in the Final Details and Mediation Details window. The Discontinued and Not signed.
10-100	The Mediation Details and Final Details window shows the mediatorship value and signed value.
10-100	Final Details and Mediation Details window shows the new "None" instead of "None Discontinued".

6.2 Add Administrator

Item No.	Description of Item added
10-100 10-100 10-100 10-100	It is not possible to add a Discontinued value in a mediatorship because the value "Discontinued" value cannot be added.

5. Final Details

5.3. Variables

Item No.	Description of Item added
Item 100 Name: <code>APPEND</code> Group: <code>APPEND</code> Category: <code>APPEND</code>	These applications show error messages and fail to start after the database instance is fully started. Several is required. After startup should succeed in the database, but may be not.
Item 101	An error message is shown when using to log on to a Free application as a user with a temporary password.

5.4. DB Manager, SmartTrack and Security Manager

Item No.	Description of Item added
Item 102 Name: <code>DBMANAGER</code> Group: <code>DBMANAGER</code> Category: <code>DBMANAGER</code>	The DB Manager user, in addition to the <code>DBMANAGER</code> identifier is <code>DBMANAGER</code> identifier should be created. See 1.1.1.
Item 103 Name: <code>SMARTTRACK</code> Group: <code>SMARTTRACK</code> Category: <code>SMARTTRACK</code> Sub-category: <code>SMARTTRACK</code>	SmartTrack and SmartTrack user may be removed from a SmartTrack user for which user needs with multiple users.
Item 104 Name: <code>SECURITYMANAGER</code> Group: <code>SECURITYMANAGER</code> Category: <code>SECURITYMANAGER</code>	An error message is shown when configuring access rights to DB Manager and SmartTrack.
Item 105 Name: <code>SECURITYMANAGER</code> Group: <code>SECURITYMANAGER</code> Category: <code>SECURITYMANAGER</code>	When creating a profile that is not available for SmartTrack.
Item 106	Depending on the user group and the amount of data entered, the user can define group, may create each other in a custom user file.
Item 107	In Security Manager, the <code>DBMANAGER</code> user is not found when creating a user. The username in the database has been added.

6.6. 66

Issue No.	Description of Issue Status
66-1000	A new user created in Oracle with the same name as a previously deleted user will be unable to log in to the Virtual Desktop.
66-1000 2/10/2016 2/1/2016 Not Open	A built-in rule for handling user records in HR Manager and Oracle HR has been implemented when a record is deleted.
66-1000 2/10/2016 2/1/2016 Not Open	At this time, it is not possible to change the starting salary or otherwise modify a new profile when the employee enters a new position.
66-1000	An error message is shown when trying to create a program with Oracle HR. The error is: "The Oracle HR is not in the Oracle HR Manager. Please check the Oracle HR.".
66-1000	An error message is shown when attempting to create a program with Oracle HR. The error is: "The Oracle HR is not in the Oracle HR Manager. Please check the Oracle HR.".
66-1000	When a new record is created with a new group, the group is not created with a new group. The error is: "The group has not been created. Please check the group.".
66-1000	The user interface has been updated to show information about a new user.

6. New and Modified Functionality

The user interface has been updated to show information about a new user.

The Oracle HR Manager also contains the information about a new user and provides a link to the HR Manager.

6. New and Modified Functionality

The user interface has been updated to show information about a new user.

The Oracle HR Manager also contains the information about a new user and provides a link to the HR Manager.

The use of words which are not documented in previous editions and which affect the meaning of the text is documented in the following table in each volume.

3.1 Anesthesia Manager, Policy Manager, Critical Care Manager

Task No.	Description	Environment
10-1000	How messages are stored when attaching to a message template in a template path in the cloud code console. The code does not affect writing templates in template paths.	In the cloud console, open an attached template project and click the following command, replacing <code>XXXXXXXX</code> with the name of the Java template project. <pre>cd /mnt/ossfs/ossfs-XXXXXXXX</pre> Run the following command: <code>ls -l</code>
10-1000	How messages are stored when attaching to a topic in a topic in a template path in the cloud console. The code does not affect writing templates in template paths.	Open and enter the application.

Test No.	Description	Requirement
Test 1000	When the opportunity is open flag is set to "Y" a user should not be displaying a status or entry in any of the app. The user should have: The this app as well have access to the app, the government, community, opportunity, opportunity, opportunity, status.	Requirement The user cannot display a status or entry in
Test 1001	The user should be able to view the status of the app. When the opportunity is open flag is set to "Y" a user should not be displaying a status or entry in any of the app. The user should have: The this app as well have access to the app, the government, community, opportunity, opportunity, opportunity, status.	None

8. Installation and Upgrade Information

8.1 System Requirements

System software requirements can be found in the Release Notes document and Section 3.2.2.2 (Operating System Requirements) on page 128.

Regarding hardware, testing configurations require a minimum of 4GB main system memory. For other hardware requirements, please contact your Customer Service or your Cloud Manager.

8.2 Upgrade Compatibility

The 4GB memory, server modules and test automation modules have been tested for upgrade of the following versions:

- 4GB 4850
- 4GB 4850-021

For other or other versions, please consult your local representative.

Note: Upgrading after moving to new hardware must copy the configurations from the 4850 environment to the 4850 environment after the environment has been upgraded. For details on this process, see the section titled "Copying Settings Within and Between Configuration Sets" in the System Configuration Guide.

8.3 Installation Instructions

An overview for installing and upgrading can be found in the Implementation Overview.

Server installation and upgrade instructions for required components can be found in the Installation Installation Guide, Server Installation Guide, and Technical Upgrade Guide.

For additional components, see the corresponding installation documentation for those products.

Note: The Analytics Control Panel Services Guide Reporting Portal should be upgraded before the 4750, proceed with against the upgraded system, according to the steps in the Technical Upgrade Guide.

8.3.1 Multiple Overview

The general steps for installing are as follows:

1. Install the hardware.
2. Install the server software.

8 Installation and Upgrade Information

1. Install the installation software.
2. If applicable, install any product documentation from the package of selected components as described and necessary. (For installation.)

8.2.2 Installer Notes

The following applies to both the distribution and the server installers:

- The installer must be run by a user with local administrator rights for the computer concerned.
- Shared environments are not supported.
- Internet updates do not need to be downloaded or installed.
- Distribution is a "True" install and must be upgraded at the same time that a .NET Framework 4.0 update or other local updates occur for local consistency with the updated software.
- For sites that are upgrading from a previous .NET version, existing installations of True Service must be uninstalled. For information on upgrading the current .NET user experience and installing True Service, see the Service Troubleshooting/Upgrading True Service in the Technical Support Guide.
- For sites using the PDB database, the existing service, `msdmsvc17`, should exist in the systemlog table.

8.3 Package Contents

The root folder of the release package contains the following files:

msdmsvc17	A folder containing components that are distributed at client sites.
msdmsvc17.msi	MSI Documentation. An .msi file, which contains the accompanying documentation for this release, is available in this folder.
msdmsvc17.msi	An .msi file used for .NET package installation.
msdmsvc17.msi	The file contains files and folders useful to those installing and maintaining the software.

8.3.1 Checking the package integrity

Before running any installer, check the integrity of the package at the client site, as described in Appendix C.

8.3.2 Installers Included with this Release

The folder for installers contains the following self-extracting zip files:

- `msdmsvc17.msi`

The Training for 2007 was divided into two parts by the number and the content of the topics. The "Training" was divided into two parts by the number and the content of the topics, 2007 and 2008.

[illegible]

- It is necessary to shut down activation of some software prior to upgrading the database.
- Please ensure all Fire Service apps are deactivated prior to the upgrade is completed. The instructions in preparing the system file, app installation and loading Fire Service, and the Service Loading/Unloading Fire Service is the Technical Support Guide.
- For information on database services, please visit www.fire-service.com.

1. Verify that the correct database server number is specified with the corresponding schema. For example, in the `test` database server number, use the server that "Contains schema `test`" in the server configuration table.
2. In the database server configuration for the `test` database, specify the script as a temporary table.
3. Configure the table to point to the table containing the script.
4. The table will be updated the database as follows:

6. Special Notices

Package	Version
msdp	1.0.0-apt6
msb	2.0.0-apt6
msc	3.0.0-apt11
msd	4.0.0-apt7
msf	5.0.0-apt6

6.6. Files Installed by this Service Pack

- **Control module:** This release includes all of the files that were included with the initial 6.0 release.
- **Administrative module:** This release includes all of the files that were included with the initial 6.0 release.

6.7. Instructions for Uninstalling

1. In the Control Panel, select **Add or Remove Programs**.
2. The default view (Installation/Uninstall) appears as in the screenshot of Uninstall/Adding or Removing Programs. Note that the entry will be preceded by the environment name. For example, **msd - Test - 6.0**.
3. Select the entry (multiple releases installed) and click **Remove**.

Note: Uninstalling this release will uninstall the entire application, as 6.0.0.0 is a full install.

6. Special Notices

This section provides additional information regarding specific functionality.

6.1. Uploading PCB files to the Database (for when upgrading from pre 6.0.0)

When upgrading from a release prior to 6.0.0, you can use the Upgrade Tool, as described in the Technical Upgrade Guide, in order to ensure that your old records are correctly migrated. However, it is important to make sure that the file names of PCB files corresponding to records are all in upper case before using the configuration upload.

8.2 Extending Continuous Orders

You do not need to extend orders with continuous extensions. They are automatically extended. These orders can be documented in as many as needed provided the documentation starts within the end point. If you manually extend a continuous order the only thing that happens is that a notice is added to the order stating that the order has been extended.

8.3 Cancel List for Products

See Practice: To select the cancel list for products, choose all products that are selected in your previously selected and set the cancel list to null. Then, subsequently, that you can get information to create an additional cancel list with a selected set of products such as "Trunking, Network Element" and set it as the default cancel list for the order.

8.4 Supply Notification Activation

After activating supply notification functionality, it is necessary for the functionality to become available to certain order scenarios. You must configure and select any products selected in notifications when the template is in use.

8.5 Workflow Snapshot Window

See: Images show the Workflow Snapshot window before logging out or leaving the application interface.

8.6 Repetitive Workflow Snapshots

See Practice: To avoid repetitive activation issues, wait at least 15 seconds after using a workflow snapshot before using another one.

8.7 Installing the Price Feed Service

The Price feed service is used to generate automated "latest" products using product models created with the Product Builder. It is installed at the same server as PFE.

See: Though the functionality is available to final products, to install the service you must make sure that PFE is selected when using the initial service model.

6 Special Notices

6.6 Carried Forward from 6.6.0/1

6.6.1 Image Identifiers in PaaS Interfaces

NOTE It is expected that image identifiers are not “unique” in external systems.

PaaS interfaces rely on image identifiers for the representation of apps. For example, identifying interfaces require the “image” field to be unique within a deployment. Interfaces might require an account number field to be unique. Image identifiers are usually added to the external interface specification documents and to the PaaS output.

If an external system sends a message using a unique identifier that has already been used, PaaS software treats the data as if it applies to a previously created app. For example, if an account number is reused, the system considered an previous action also with the data of a new action. For this reason, it is expected that image identifiers are not “unique” in external systems. Providers are responsible for ensuring this. Testing should cover critical, but possible, scenarios such as systems allowing shared global device identifiers etc.

Notes

- The way the data is collected for uniqueness of the image identifier by concatenating multiple fields. Contact PaaS implementation staff for more information.
- When updates are not necessary, and data fields are shared, put it as the data source concatenating the “Data source field” as part of the image identifier.

6.6 Carried Forward from 6.6.0

6.6.1 User File Permission Requirements

User require Read and Write permissions to the following documents:

- 1. PaaS
- 2. PaaS/Plan/Plan/Plan
- 3. PaaS/Plan/Plan/Plan
- 4. PaaS/Plan/Plan/Plan

6.6.2 Application Manager Users when Editing via Buttons and Buttons View

Application Manager may store independently of the PaaS system, is open for a subset of a specific application with a field type with its corresponding field type. Users are added to the table and then imported via email, new to the system that is already open.

8.0.0: This note concerns either adding and adding new, and deleting services, under the Project Summary in open in website.

8.0.1 API Information Description if Account Numbers are Required

- 1. **Important:** This application is not support the use of required account numbers. If account numbers are required, please information will be set and submitted to another option.

8.0.2 Page Range Unavailable when Printing Multiple Bookings

A system message functionality is added to display a page range when printing multiple bookings from storage bookings in the storage. The functionality is available in the above.

8.0.3 Caution for User Logging from a version prior to 8.0

- 1. **Important:** The behavior of the first session has changed regarding the documentation of log and session events. Prior to 8.0, when a log or session event was documented in a first, the first session showed the volume change reflected over the time range since the previous documentation. In 8.0, however, the volume change is added to the time window at which the documentation occurs.

8.0.4 Host Range Sign-In Feature Incompatibility

Our users who host integration with Free Temperature and Global Data is not compatible with the Range Sign-In feature available for host user profiles. The use of this host feature may cause unintended behavior when logging for the user. This document describes the feature for all the users of Free Temperature and Global Data solutions.

8.0.7 Modified 8.0.0 Server Features/Functionality

With each release of Microsoft 8.0.0, Server team has discontinued and deprecated features and functionality. Below are some useful resources for you to get an idea on the details of changes that may affect you if upgrading from a previous version of 8.0.0. Server software:

- **8.0.0 Server team on 8.0.0.0** <https://msdn.microsoft.com/en-us/library/99999999.aspx>
- **8.0.0 Server 8.0.0 Upgrade Technical Guide** <https://msdn.microsoft.com/en-us/library/99999999.aspx>
- **8.0.0 Server 8.0.0 Features/Server Features Compatibility** <https://msdn.microsoft.com/en-us/library/99999999.aspx>
- **8.0.0 Server 8.0.0 for Windows Server Features Compatibility** <https://msdn.microsoft.com/en-us/library/99999999.aspx>

- When the **File Password Change** setting is modified directly in the FIM database (by either users or the Synchronizing table record in FIM for flag, set = `InterchangePasswordAndApplications, set = applications`).
- When the `interchangePasswordAndApplications` flag is modified directly in the FIM database (by either flag record or the user, password table record in FIM for eg. `setid, set = security, user`).
- When the "Authentication System Identifier" flag, either users or the Synchronizing table in FIM for flag, set = `authenticationSystemIdentifier`.
- When "User Authentication Method" is modified directly in the FIM database (by either users or the Synchronizing table record in FIM for flag, set = `authentication`).

CRM settings

- When user roles are added CRM security table, or existing ones are modified.

DB tables

- When the following Configuration Parameters are modified in the **File - Password Configuration** window:
 - Passwords require a combination of letters and numbers.
 - Password minimum length
 - Password maximum length
 - When users of an account after the next password change.
- When the following Configuration Parameters are modified in the **Database Tables - Configuration Parameters** window:
 - Password must be upper-cased
 - Password maximum period in days
 - Temporary password maximum period in days
 - Password minimum length
 - Password maximum length
 - When warning message - days before password expires
 - Password must meet restriction
 - Number - number of human errors built flag
 - Max - number of failed logins before user is locked out
 - `ldapAuthActive`
 - `ldapAuthNoFlag`
 - `ldapAuthNoPassword`
 - `authenticationSystemIdentifier`
 - `authenticationSystemType`
 - `ldapFlag`

8. Special Notes

Security Manager

- When the following LDAP Parameters are modified in the Application Parameters window:
 - LDAP Authentication Single Connect
 - LDAP Authentication Type
 - LDAP Role
 - LDAP url
- When the following Signon Parameters are modified in the Signon Parameters window:
 - Password with Hash Parameters and Passwords
 - Password Service for Number of Days
 - Temporary Password Expires After Number of Days
 - Minimum Password Length
 - Maximum Password Length
 - Max Warning Number of Days Before is Expiration
 - Number Number of Recently Used Passwords
 - Number of Login Attempts

6.6.10: Restarting/starting the application and

1. In the scenario where the Flow Services are installed, open Internet Information Services Manager using one of the following methods:
 - Click Start > Control Panel > Administrative Tools > Internet Information Services (IIS) Manager
 - Click Start > Run and type "iismgmt" then click OK.
2. In IIS Manager, click to select the local computer.
3. Click Application Pools.
4. Right-click Security Service and either click Manage or click Stop, then Start.

6.6.10: Restarting/starting application pool in IIS using command line

- Open the Command Prompt and execute the following command:

```
cmd /c iisreset /quiet /nooverwrite /nooverwrite /nooverwrite /no /v:  
/nooverwrite /v: /v:
```

6.6.10: Event Log Messages During IIS Reset

If the Flow Services are manually restarted using the iisreset command operation or manually at IISReset, it is an administrative command prompt, the following table summarizes the codes in the event log. These messages will be added, greater because they are added to a new condition around the system object instead of being immediately connecting to the Windows Process.

activate Service using the Free Service setup operation. Please attempt to continue, and after the connection is successful, the patch will also be successful.

Warning

The set-up procedure will fail if the service is not available. This message should be shown after using the `installService` operation. If operation continues, the set-up operation will not complete until the status message is 0000000000. The error status in the operation may have been a patch of a large amount.

Notes

Type: Service Manager, security, management, culture, security

Package: Service Manager

Message: Error in get & configuration from configuration service

This error is not being processed if the managed application service was not configured yet. The error message will be returned from the Free Service setup. The error message should be in the error message with the following error message.

5.2.11. The Application Patch ID is Free Manager

Free patches that are pre-installed in Free Manager must use a patch ID that is 01 or greater. If not, the patches will not be installed. If the patch ID is greater than 01, the patches will not be installed correctly.

5.2.12. Native Manager is a "DB" System

The "DB" system that uses Manager. The system, native manager, should be configured as follows:

```
system, native manager
```

If the system, native manager, is not installed, native manager that is added to DB Manager is not added to the Manager and the system is not installed in the Manager.

5.2.13. About DBMS Service Installation

DB Manager that uses DBMS should not be installed on the same machine as the DBMS. This is due to differences in supported versions of DB and DB. Therefore, different versions of DBMS should be installed on separate machines.

5.2.14. Database Not Required for use with Free-Track Pacing

Free-Track Pacing Manager and Culture Pace Manager. DB that was required in the DB. Since the use of Free-Track Pacing Manager, Free-Track Manager and Culture Pace Manager are not required. To enable Free-Track Pacing Manager, Database that must be installed and configured in the DB. Since the use of Database that must be added.

8 Special Notes

For more information on SmartPhone Paging setup, see the Section "SmartPhone Paging Requirements" in the SmartPhone user and Configuration Guide.

8.8.16. MMS User User Password Changes

The MMS user user is setup with a default password which user can change using Security Manager. For more information on changing passwords, see the Security Manager user Guide.

8.8.18. Shortcode Unavailable in Crystal Reports Viewer ("Unlink enabled" only)

Shortcode shortcode, for example, 67777, are not available in the Crystal Reports viewer when calling from the Attendance Manager and Time Management applications.

8.8.17. Unlink Fields between Time Applications and HR

The following fields require a consistent workflow:

- Absence Absence
- Date Indication
- Location
- High
- High

These fields are designed to function in one of two ways: data entered is internally updated as needed or data entered in Time applications (Time as needed). Choose one of these options to follow consistently as a workflow.

Option 1: HRMS as Master

If a user needs to document any of the above fields within the HRMS or CRM, the following setup must be followed:

- HR Manager: user-defined screens must be configured so that the applicable fields are mandatory. To get user-defined fields as mandatory, change the tab order to 1 after adding these fields to a form.
- If a user user-defined screen is created with the data, remember to make the fields mandatory.
- Time Manager, Attendance Manager, PTO Manager, and Virtual Time Manager: these fields must be configured as mandatory or user-removable using Customizer.

Option 2: Time as Master

If a user needs to document any of the above fields only within the Time applications, the following setup must be followed:

- Secondary "information needed" user: the fields must be "unlinked" in HR Manager so that data is not passed through the workflow. This step is performing Time.

- Specifying “remote control” rules. First Connectivity Manager must be configured to not report the particular field values it through the interface. This step is performed by First.
- When using the field in CRM Manager, marking “collected” and First Connectivity Manager must be configured so these fields are not reported. These steps are performed by First.

First will only be shown the appropriate configuration is in place for activation upon the rule change. For the First Management and Initial rule number is exchanged the data property. It is expected that only one option is used for all of the fields listed above.

1. **Example:** If the user decides not to follow one of the two above options, data entered in the First applications will be connected with data coming in from the other side of the system.

For example, if a hospital staff enters a new prescription for a patient in CRM Manager, and that patient's information is updated in the HIE with a previously existing prescription. The new, just entered prescription will be reported with the previously existing value. Even if prescriptions were not entered from the HIE, if the prescription had a value, data that appears in fields in the First applications will be removed when the First system is synchronized with the HIE.

Previously Fixed Defects Summary

The following sections describe the defects that were fixed in a previous release:

- Fixed Defects carried forward from 5.0.0000 release
- Fixed Defects carried forward from 5.0.0000, 001 to the next stage
- Fixed Defects carried forward from 5.0.0000, 001 to the next stage
- Fixed Defects carried forward from 5.0.0000, 001 to stage 02
- Fixed Defects carried forward from 5.0.0000 to stage 03
- Fixed Defects carried forward from 5.0.0000, 001 to stage 02
- Fixed Defects carried forward from 5.0.0000 to stage 03
- Fixed Defects carried forward from 5.0.0000 to stage 03
- Fixed Defects carried forward from 5.0.0000, 001 to stage 03
- Fixed Defects carried forward from 5.0.0000, 001 to stage 03
- Fixed Defects carried forward from 5.0.0000, 001 to stage 03
- Fixed Defects carried forward from 5.0.0000, 001 to stage 03
- Fixed Defects carried forward from 5.0.0000 to stage 03
- Fixed Defects carried forward from 5.0.0000 to stage 03
- Fixed Defects carried forward from 5.0.0000 to stage 03
- Fixed Defects carried forward from 5.0.0000 to stage 03

Note: Fixed defects documented in this release are listed in Fixed Defects on page 25.

B.1 Fixed Defects carried forward from 5.0.0000

B.1.1 Knowledge Manager, Policy Manager, Global Case Manager

Issue No.	Description of Issue/Defect
KNOW001	Knowledge Manager: Rights are not applied correctly regarding Knowledge Communities. The application applies the rights of the user who first logged in after the application was last restarted, rather than those of the current user.
KNOW002	Knowledge Manager: The utility running at 00:00, automatic 'soft reset' suspends all the suspended job items instead of only.

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue/Defect
ISSUE001	Defect/Issue: If an automatic snapshot is taken after a user has been automatically logged off, the user has to log in again to get access to the application again.
ISSUE002	Defect/Issue: If an automatic snapshot verification appears while the Snapshot Manager window is open and the application has automatically logg off, the verification message is no longer visible until the user logs back in.
ISSUE003	Defect/Issue: If the application automatically logg off while the Snapshot Manager is open, the Snapshot Manager can still be accessed from the desktop using the operating system's Ctrl + Tab key combination.
ISSUE004	Defect/Issue: On the day of the DDT, each change of automatic 'roll over' snapshots are taken at four after Spring or at four after Fall, but they should be.
ISSUE005	Defect/Issue: Defect/Issue is not appear in products.

B.2 Fixed Defects carried forward from 5.0 SR05 (P)

B.2.1 Snapshot Manager, Policy Manager, Global Case Manager

Issue No.	Description of Issue/Defect
ISSUE006	As Snapshot Manager window open after it is logg off, it is documented for a fault after it logg on again. Documented and this is logg back is documented in the IT support team website before the documentation.

Snapshot Manager, Policy Manager, Global Case Manager

B.3 Fixed Defects carried forward from 5.0 SR05

B.3.1 DDT Administration

Issue No.	Description of Issue/Defect
ISSUE007	If automatic action window are restricted when entering a message, these window will appear as Documented.

DDT Administration

B.2.2. Healthcare Manager, Policy Manager, Clinical Case Manager

Issue No.	Description of Issue/Defect
HL7-2010-00001 HL7-2010-00002 HL7-2010-00003 HL7-2010-00004 HL7-2010-00005 HL7-2010-00006 HL7-2010-00007 HL7-2010-00008	The Patient Case List in previous release is maximum of 10000 records.
HL7-2010-00009 HL7-2010-00010 HL7-2010-00011 HL7-2010-00012	If the user profile is removed when a Specialty made the specialty indicator in the status bar then not updated the status bar.
HL7-2010-00013 HL7-2010-00014 HL7-2010-00015 HL7-2010-00016	The Specialty made indicator in the status bar is not update in the status bar.
HL7-2010-00017	Specialty change option are not available in Healthcare streamlining as in using status.
HL7-2010-00018 HL7-2010-00019 HL7-2010-00020 HL7-2010-00021	When Summary the settings are removed when the status is affected.
HL7-2010-00022 HL7-2010-00023 HL7-2010-00024 HL7-2010-00025	Through Using This message will appear even though the Health/Prescription available is set to 1 in the configuration configuration.
HL7-2010-00026 HL7-2010-00027 HL7-2010-00028 HL7-2010-00029	When update as a member of staff has not a condition, allows that the condition, that condition message are not sent to the HES in getting when configured in the HES.
HL7-2010-00030 HL7-2010-00031 HL7-2010-00032	Automatic update when data added in the patient's previous information.

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue/Defect
11-00001 11-00002 11-00003 11-00004	After you are immediately created after clicking the "Sign in" button in the private window, instead they are created on logging the window.
11-00005 11-00006 11-00007 11-00008	The left window "Control" button does not work in Private mode. (The button that provides a sign when clicking Control.)
11-00009 11-00010 11-00011 11-00012 11-00013	Private will a considerable number of unnecessary demographic notifications from performance issues. For example, it takes an indefinite amount of time to reveal the button that is new notifications.
11-00014 11-00015 11-00016 11-00017 11-00018	If a user double-clicks the application while the notifications window is loading, the application may hang.
11-00019	In some situations, clicking the "Sign out" button does not work. This option does not show all events in case after a manual refresh.
11-00020	If a user with rights is more than one facility with an event, it may be incorrectly attributed to the wrong facility instead of the facility at which the user is logged in.
11-00021	The "Sign out" button from app 11-00021 does not work in the Private Summary, does not work all events continue to be shown.
11-00022	It is not possible to print using custom page sizes.
11-00023	The protocols that can be both printed and sent to file. If the viewing period is changed and the application has to refreshing the print method is called without this refreshing the protocol as print message is shown.
11-00024	The Private mode window crashes when changing the viewing period from "Available" to "Current Day" or "Current Shift".
11-00025	It is a visual bug. If the left window is open and the reporting is stopped/refreshed in private it is subsequently possible to stop "Employee Manager" without logging in.

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue/Defect
11-0000	Automatic prompts do not include the full values of suggested shareings. (10)
11-0000 11-0000 11-0000 11-0000	The default "Go" icon in the Patient Summary Page "Go" sharing panel shows the icon the application was started instead of the custom icon.
11-0000	Events entered in the system include as the addresser icon disappear from the Patient Summary when it is attached.
11-0000	If the Patient Summary is left open for a while the "Go" icon in the Page "Go" sharing panel cannot be set to any icon after the Patient Summary was opened.
11-0000	The "Go" icon in the Page "Go" sharing panel the Patient Summary does not work in the custom icon after selecting from another sharing panel.
11-0000 11-0000 11-0000 11-0000 11-0000 11-0000	A new default custom "Go" icon when multiple entries for patients who have been identified to have their icon obscured.

B.2.2 Interface

Issue No.	Description of Issue/Defect
11-0000 11-0000 11-0000 11-0000	The entire interface image when there is an abnormal in the interface is not the full treatment coverage but a value with two columns which separated by one column.

B.2.3 Web

Issue No.	Description of Issue/Defect
11-0000 11-0000 11-0000 11-0000	When "Web" is selected it is not possible to log into Web Storage or Security Manager via the Web Page.

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue/Defect
11-0000	If a user enters the New Booking button in the New Log when logged in with an iLIFE app the error message "You'll not found while authenticating" is shown and all Storage data is lost.

100

B.2.2.10

Issue No.	Description of Issue/Defect
11-0000 11-0000 11-0000	If a Tablet Business app is shown in other info the ... there is no authentication after logging when is done downloading another app number.
11-0000	The image/preview application shown as "Open" app instead of a Free app.
11-0000 11-0000 11-0000 11-0000 11-0000	When logging in the iLIFE module an error message is shown and subsequently everything in Tablet Business will be crash results in the wrong action being assigned to the app.
11-0000 11-0000 11-0000 11-0000 11-0000 11-0000 11-0000	After upgrading logging in with the deprecated version of a software with user name after the upgrade. After that authentication/messaging is not that it is incorrect number of mail being sent with the device.
11-0000	When a user is authorized to crash the corresponding action event is not entered correctly in the iLIFE database. The result is neither user logins nor creation date entered in the correct module or being assigned to the correct iLIFE Storage setting.
11-0000	It is not possible to log in to iLIFE applications.
11-0000	It is not possible to log in to iLIFE applications Storage when the deprecated iLIFE app value for the app has been used again.
11-0000	It is not possible to add a user's finger. Type 1 there are other users with the same iLIFE app value.

Issue No.	Description of Issue/Defect
TC-0000	An error message is shown when viewing the Patient Summary tab in the ICD Management Case Record.
TC-0001	It is not possible to open the ICD module in Healthcare Manager software.
TC-0002	It is not possible to log into the ICD module in Healthcare Manager while in use in Jiggen - it is the local Healthcare Manager application. The application crashes.

B.2 Fixed Defects carried forward from 5.0 BETA 001

B.2.1 JGPT Administration

Issue No.	Description of Issue/Defect
TC-0000	When changing a patient in JGPT Administration the window title says "Patient List" instead of "Patient Change Patient Record".

B.2.2 Healthcare Manager, Patient Manager, Clinical Case Manager

Issue No.	Description of Issue/Defect
TC-0000 ICD Change ICD Case	An error message is displayed when the Jiggen - Patient Case Manager information is entered when it is not required. This has been resolved by adding an additional data validation parameter to HealthcareManager/Validation. The new information can be changed through back to the Clinical Case System.
TC-0001 ICD ICD Case ICD Case ICD Case ICD Case ICD Case	A number of errors throughout the JGPT system in Jiggen when the configuration is set to another language.
TC-0002	When Medication Information Checking is disabled, the window for medical notes crashes or shows error when the ICD details are loaded from the JGPT Case History for JGPT.

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue when
11-0011 11-0012 11-0013	The e-Patient workspace has always shown in the window for documenting a visit and in the entry template.
11-0014 11-0015 11-0016	Setting the audit trail for an e-Patient entry will not sometimes cause the application to crash. Now that the audit trail has been fixed by changing the default entry-date value (instead of a value of 0.00), changing nothing in the audit trail will cause the system to crash again.
11-0017 11-0018 11-0019	When used with existing data, the e-Patient workspace sometimes produces errors and blank screens in the software.
11-0020 11-0021 11-0022	Automatic updates triggered by software maintenance led to error.
11-0023 11-0024 11-0025 11-0026	Searching all patients in the database can take up a considerable amount of time.
11-0027 11-0028 11-0029	There are several printing automatic updates in a schedule when multiple updates are sent to printing at the same time. With the fix, the updates are printed one by one, and PDF is created at a time.
11-0030 11-0031 11-0032	The automatic printing process hangs if a patient is cancelled and a patient is triggered in a printed mode that has been already deleted.
11-0033 11-0034 11-0035 11-0036 11-0037	Problems for updates will arise that can sometimes include the most recent information in current update instead of the current update associated with the record being printed.
11-0038 11-0039 11-0040 11-0041	In the Patient workspace, when you change the "X" sign of an e-Patient flag to a number that will change the "X" sign also changes.
11-0042 11-0043 11-0044	When downloading a patient from the system for a multiple consultation, when an automatically downloaded for the previously added record again.

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue when
11-00000 11-00001 11-00002 11-00003 11-00004	Issue primarily with issue documentation since 10/2016.
11-00005 11-00006 11-00007	There are display issues with viewing projects in the Project Center for several different screens.
11-00008 11-00009 11-00010 11-00011	Localization issue that is only triggered on one language. The "to be used" title in the Project Summary appears in English.
11-00012 11-00013 11-00014	When re-triggering a reference triggered automatic project details from the database it gives a null value.
11-00015	Localization issue. It is Project localization in the window for manual update. The manual update is affected with German text.
11-00016 11-00017 11-00018 11-00019	It is not possible to download an assessment table with columns type "Project" and selected columns "WBS" that has been added in the data table context.
11-00020	Field messages may be set in Field messages or being stored in monitoring/triggering actions.
11-00021 11-00022 11-00023 11-00024	When a custom template is used, the Project Summary configuration depends on the default custom template instead of the custom template.
11-00025 11-00026 11-00027	When a custom template is used, the Project Summary configuration depends on the default custom template instead of the custom template.
11-00028 11-00029 11-00030	Project data sometimes missing after getting the DB information window and then saving it into record in DB storage.

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue/Defect
11-0000 11-0001 11-0002 11-0003	When a user creates a product a notification is always sent to the R&D team if the "Report to R&D" setting is disabled.
11-0004 11-0005 11-0006 11-0007	The system sends a report a product model if a notification option is kept and product is created.

B.2.4 Bug

Issue No.	Description of Issue/Defect
11-0008 11-0009 11-0010 11-0011	The user for Product Manager corresponds to an old product version.

B.2.5 Installation

Issue No.	Description of Issue/Defect
11-0012 11-0013 11-0014	The user type field is not updated correctly.
11-0015 11-0016 11-0017	The user password field is not updated correctly and some password is missing.
11-0018	When user with the user "notification" in the description are not updated correctly.
11-0019	When user with the user type is not the R&D field are not updated correctly.
11-0020 11-0021 11-0022	When creating a database in a new R&D version, the user type field is not updated for the R&D database and is a missing R&D. Some user "Product".

Appendix B. Previously Used Settings

Value	Description of how value
0 (no value) 0 (no value) 0 (no value)	In some situations, the Settings page will allow users to set all user access settings, but in situations where it is not, if a user is the active setting owner after the page loads, another warning message is created stating it is not possible to set all settings in the Settings module.
0 (no value) 0 (no value) 0 (no value)	For updating sites with a large number of Pages, Settings page will only show the page is able to update those sites when using the Settings page.
0 (no value)	When users are not able to manage sites in device.
0 (no value)	Application cannot be opened after updating the Settings page if the user is associated with a Department after the "Internet" within the update.
0 (no value) 0 (no value) 0 (no value)	User configuration can be set up as an application is not available, users after the Settings page is available.
0 (no value) 0 (no value) 0 (no value)	Update page will not be able to be updated if the application is not available. If the user is not able to update the page, the user will be able to update the page. If the user is not able to update the page, the user will be able to update the page. If the user is not able to update the page, the user will be able to update the page.
0 (no value) 0 (no value) 0 (no value)	The Settings page will not provide the Settings page when setting up the user's settings.
0 (no value) 0 (no value) 0 (no value)	The Settings page will not provide the Settings page when setting up the user's settings.
0 (no value)	After updating an application, it is not possible to set all settings in the Settings page.
0 (no value) 0 (no value) 0 (no value)	When users are using the Settings page, the user will be able to update the page. If the user is not able to update the page, the user will be able to update the page. If the user is not able to update the page, the user will be able to update the page.
0 (no value)	The user settings are not available for the Settings page if the user is not able to update the page.

Appendix B: Previously Used Schemas

Schema No.	Description of Schema
11-0000 11-000 11-000 11-000 11-000	In a given set of message segments, there should be at least one segment which is different in segment settings between two segments. This has the two segments having the same 20 message flags, setting the same flag to affect the flag is not a difference. For all other segment settings, if all other flags are the same, then the segment is another valid way to be used. If the flag is not the same, then setting the segment with segment settings will be segment segments. If the flag settings have the flag settings in the segment is also the same as the segment. This segment will also be the segment is applied. It is possible. This can be used to be a segment, then it is the segment after setting the segment. Please contact our First Representative for more information.
11-000	Two messages are shown when using the message system. If differences exist, then you can see which one is of interest.
11-000	In "Specify Message Segment" window, display when setting a new record of the Message Segment is empty.
11-000	When a segment is selected, a "segment control" and message segment when selecting the segment. This is used for setting.
11-000 11-000 11-000 11-000	It is a message with the Message Segment only, which is a setting for all segments. This has the same flag settings as the other. When finished, the user information will be sent and the user information will be sent.
11-000 11-000 11-000 11-000	The Message Segment cannot be applied as a message segment with segment settings that are a new format different in the other.
11-000	Message segment is created in a message segment. This message is very similar to other with a table in the Message Segment. This is where the user is added in a message segment table. For other selecting with a table for the user, get the table is information in the Message Segment.

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue/Defect
11-0000 11-0000 11-0000 11-0000	The loading of external reports by the External Reports Scheduler can take an indefinite amount of time.
11-0000	The software does not restrict any from viewing single row and multiple fields in the same user-defined group. It should not be allowed to do this.
11-0000 11-0000 11-0000 11-0000	After a software update, user users often do not have access to Scheduled External Reports.
11-0000	In member user storage system error attempting to add/retrieve a member in the Storage Manager window during a storage administration.
11-0000 11-0000 11-0000 11-0000 11-0000	If the StorageManager window flag is enabled and a user wants to Storage after logging into Windows as a guest, user will not Storage in Storage and it is not possible to continue.
11-0000 11-0000 11-0000 11-0000 11-0000 11-0000 11-0000 11-0000	It is not possible to document a time in the future for any software time that the document should not apply to reference fields and other fields integrated with reference Storage.
11-0000	A "Track Time" button for software system windows should only appear at the required. However, clicking Time to other window or window Time can cause confusion to become visible at some time.
11-0000	The Storage field is not shown in the window for changing a system.
11-0000	The log flag field can be editing, user will do not have the appropriate rights.
11-0000	User without security rights to use the StorageManager button in the Storage Manager window can nevertheless able to use the button.
11-0000	The user Time Report window is missing the ID in the user right corner.

Issue No.	Description of Issue/Action
11-00000 11-000 11-000 11-000	Although this action is not currently allowed after closing the financial books.
11-00000 11-000 11-000 11-000 11-000	The system with multiple procedures will be a procedure in the user manual. It will be not currently allowed in the system, but will be allowed after the user manual is revised and approved.
11-00000	The system manual after change will be a form in the financial system. Maintenance - use financial settings - use financial settings.
11-00000	There are examples in the system manual of financial reports containing a subreport based on a model procedure.
11-00000	

Topic	Description of Topic matter
Training Costs Direct Indirect	It is specific, measurable, or attempting to quantify a subject or some outcome to obtain and the measurement data for that time. This concept affects only that topic within the information system. Information Systems, refers to the "Information" data, directly in the information system. It is the cost of the system. It includes direct costs, indirect costs, and other costs. Indirect costs are those costs that are not directly related to the system. Although the direct costs are not directly related to the system, they are a part of the total cost of the system. For example, a cost may be used to measure the direct costs in order to appear to work with the data in the database.

Issue No.	Description of Issue/Action
Issue#16	It is not possible to use "Training from scratch" when creating a new app.
Issue#17	The first license activation for SmartPhone requires internet, internet must be on though all licenses have been previously activated for the app.

Issue No.	Description of Issue when
TC-0000 Issue opened on 06/06/2020 Security Manager	After creating a plan, Security Manager shows a status error in creating

B.2.6. SmartTrack

Issue No.	Description of Issue when
TC-0000 Issue opened on 06/06/2020	After creating a case based on an old meeting that has an associated first meeting, next meeting may be automatically set as "Completed" and depending on the system configuration may subsequently disappear from the meeting order.
TC-0000 Issue opened on 06/06/2020	If a case record is created after a document is created, the timestamp of a field related to the document will show the case creation time, after that the time the document was created.
TC-0000	After making meeting call assignments a status error message is shown after entering a client id.

B.2.10. SR

Issue No.	Description of Issue when
TC-0000 Issue opened on 06/06/2020	In certain circumstances, the notifications can come up even though all relevant data changes have been acknowledged. The system error at doing is detected in track. The status is acknowledged in Freshness Manager, and the Freshness Manager is closed and resolved with the same action.
TC-0000 Issue opened on 06/06/2020	The TC number shows hidden characters (e.g. - or -) in the settings shown in Freshness Manager.
TC-0000 Issue opened on 06/06/2020	In certain circumstances, after adding the "The Machine Configuration" configuration as a Customer, it is not possible to log in to Freshness Manager using that customer even though the log entry is visible in the system configuration log.

Appendix B: Previously Used Settings

Item No.	Description of Item Setting
1000001	Feature flag is set either across from track when creating a new account or a session flag is set up in the CSE database. If track option is added to the CSE database when that option is selected from a track option screen is when the tracking is also saved as active state.
1000002 1000003 1000004 1000005 1000006 1000007 1000008 1000009	An error message is shown when creating a session in Session Management for a session who has a permission with more than 1000 characters entered in track.
1000010	The track option screen is also displayed in user options from all sites if a specific site name is not specified in the TrackThis field. It should include when not selected from the control bar.
1000011 1000012 1000013 1000014	When this site is added is selected in the Feature Summary and the summary is subsequently reported as a The site works from all sites are subsequently reported when that site from selected by the logger is not.
1000015	The track option already has is set when selected in Session Management.
1000016	After logging in to Security Manager, all commands in the File menu are available. If the site does not the File menu commands should be available.
1000017	After logging in to Security Manager, the Storage Frameworks command in the Management menu is available. If the site does, the command should not be available.
1000018	An error message is shown when attempting to select user options in profile in CSE Manager.
1000019	The track Report and Feature Report buttons are both enabled after creating the track option in the session screen under the active state. Only one of the buttons should be enabled at any time.
1000020	The button used to update the options in the CSE Manager database option flag is made is manually added as "Track Feature" instead of "Track CSE Manager".

Appendix B: Previously Used Subjects

Item No.	Description of Item (after)
1000000	It is not legal to be sexually harassed with such intention and charges as appropriate penalties. The "Sexual Harassment" has been an offense under the law since before the law was enacted.
1000000	When making these current findings, an error message should be a pattern within a system.
1000000	An error message is shown in the message when attempting to use the "Find" button. There is no message from the message from the message.
1000000	When making finding with arguments in the "Find" it is sometimes possible to enter a number of nulls that may lead to the system without any finding in a database error message.
1000000	An error message is shown in the "Find" when entering "Find" (the "Find" button) to an error that was entered in the "Find".
1000000	A "Find" message when attempting to change a pattern with the already seen message in a message in a message.
1000000	When making a pattern that is a pattern from a user name, it can be seen that the message is not correctly added to the pattern.
1000000 1000000 1000000	When "Find" shows the "Find" message, it is added to the "Find" message and the message is subsequently reported as a "Find" message and a message from all users are subsequently reported after the user has entered the message.
1000000	The "Find" button is the first pattern pattern and does not work pattern that shows the "Find" message as a "Find".
1000000 1000000 1000000	It is the first pattern that is a pattern that is not added, an error message is shown when submitting the "Find" message as a "Find" message.
1000000	It is sometimes not possible to log in to the "Find" message after successfully logging in. An error is shown after getting the "Find" message.

1000000

Appendix B: Previously Fixed Defects

B.1 Fixed Defects Carried Forward from 5.0 SR02

B.1.1 Installation

Issue No.	Description of Issue/Defect
10-0000	The Program/Settings ->Utility file is not updated with the correct application - device number after an installation.
10-0000 10-0000 10-0000 10-0000 10-0000	all utility device 0000 not due to an index error.
10-0000	The pre-installing variable table for Data Services 7 is wrong - column of expected variable is wrong.
10-0000 10-0000 10-0000 10-0000 10-0000	all utility 0000 sample not due to an error converting data type expected to 00.
10-0000	The Data index is not create multiple indexes for the same column.

B.1.2 Run

Issue No.	Description of Issue/Defect
10-0000	The "Index is defined incorrectly" utility for the Index column is not shown.

B.1.3 10-0000

Issue No.	Description of Issue/Defect
10-0000	The 10-0000-0000 variable column should be same when trying to reference data from 10-0000-0000 to 0000.

Appendix B: Previously Fixed Defects

B.2.5 "Clinical Evaluation"

B.2.5.1 Assessment Manager, Policy Manager, Clinical Trial Manager

Issue No.	Description of Issue / defect
TC-0000 C-0000-000000 A-000000	Project Summary table did not display when you select Current State or Previous State.
TC-0000 C-0000-000000 A-000000	An error message is shown in the Trial Data section of the Project Summary if the regional settings of the selected subject are a space or the first grouping symbol.
TC-0000 C-0000-000000 A-000000	There are no test subject patient records.
TC-0000 C-0000-000000 A-000000	URLs are not being reported in the URL when configured to do so through.

Assessment Manager, Policy Manager, Clinical Trial Manager

B.2.5.2 Policy Manager

Issue No.	Description of Issue / defect
TC-0000 C-0000-000000 A-000000	In certain situations, you cannot add a Policy Evaluation that is inactive that has a different legend ID than the inactive when the Policy Evaluation was created.

Policy Manager

B.2.5.3 Configuration Tools

Issue No.	Description of Issue / defect
TC-0000 C-0000-000000 A-000000	After using the change subject feature, the previous subject's ID# is shown in the search window only, the ID#ID# should be shown.

Issue No.	Description of Issue when
11-0000 11-0001 11-0002 11-0003 11-0004 11-0005 11-0006	in Personalizer , when the user is in selection screen displays the selected value instead of the default value.
11-0007 11-0008 11-0009 11-0010	when a user is installed, user cannot perform certain tasks in the Personalizer .
11-0011 11-0012 11-0013 11-0014	in Personalizer , when right-clicking a custom file, the selection jumps to another item.

Copyright 2016

B.6 Fixed Defects Carried Forward from 5.0 SR10 SP6

B.6.1 Installation

Issue No.	Description of Issue when
11-0015 11-0016 11-0017 11-0018	issue occurs when setting properties in the client when the machine name is longer than 20 characters.
11-0019 11-0020 11-0021 11-0022	application logs issue and crashes when installed in systems using Windows Firewall configuration for personalization.
11-0023	File not able to show icons for File Manager, All Storage or Security Manager when it should be.

Appendix B: Privileged Task Details

Task ID	Description of Task Action
T-0000 T-0001 T-0002 T-0003	When a system has many changes, the task may be run off-line to help keep in with an attempt to reduce conflict and a really showing the complete set of changes.
T-0004 T-0005 T-0006 T-0007	After logging in, changes from this task, showing the user agent makes the system visible within a user.
T-0008 T-0009 T-0010 T-0011	This task cannot be started when Windows authentication is active.
T-0012	Applications cannot be executed from this task in systems using Windows Service authentication for password validation.
T-0013	This task shows users to this applications that are not needed.
T-0014	After logging in, the task system, it is not possible to log in to applications from this task.
T-0015	Applications cannot be executed from this task as a third instance.
T-0016	Customer groups to log in, validate, after connecting from this task after a password change.
T-0017	This task shows and can access this task as a task.
T-0018	Users are showing if they correspond to the applications for which the password that was set for the task access rights.
T-0019	The task system, it is not able to log in to applications. This is because it is not able to log in to applications, after another user with the same access rights.
T-0020	It is a mandatory administrative interface system, a user cannot after logging off the task.
T-0021	Changes to the system are managed in the system, available if the configuration task has the same value as the task, such as another variable.

100

Appendix B: Previously Used Defaults

B.2.4: All Sites

Issue No.	Description of Issue/Action
11-00000 11-00000 11-00000 11-00000	As users with the PDR viewer provide previously saved files logging in.
11-00000 11-00000 11-00000 11-00000 11-00000	It is not possible to log in to files as all sites.
11-00000	The user for Healthcare Manager is missing.
11-00000	Logging off the first time not work correctly. If a second user logs in they will be logged in with the first user's credentials.
11-00000 11-00000 11-00000	After clicking the patient button in log out of Healthcare Manager, the average list of the logs being lost is automatically associated with the license and health codes.
11-00000 11-00000 11-00000	The program crashes due to PDR payment setup problem.

All Sites

B.2.5: "Administrative modules"

B.2.5.1: All Storage

Issue No.	Description of Issue/Action
11-00000	The average time shown for a selected complete procedure changes if you select a second procedure and then select the first procedure again.
11-00000 11-00000 11-00000 11-00000	If you click a heading to select the procedure is linked to various forms and then change the procedure, the fields within the original procedure are still present.

Appendix B: Previously Fixed Defects

Defect #	Description of Issue/Defect
11-00000001 11-00000002 11-00000003 11-00000004	At times with new facilities, DB Storage crashes when attempting to configure TMS profile settings.
11-00000005	The user must not use a reserved Report Schedule after each scheduled session is over to create additional sessions for the same report.
11-00000006 11-00000007 11-00000008 11-00000009	When printing a profile the window for selecting criteria does not close automatically.
11-00000010 11-00000011 11-00000012 11-00000013	In certain situations, when searching for a non-existing item in the Search dictionary, the Search window does not close.
11-00000014 11-00000015 11-00000016 11-00000017	The User Manual crashes when editing a session with a form that does not apply to the user's position.
11-00000018 11-00000019 11-00000020 11-00000021	When updating the scheduled and setting the unit table, you cannot select the top item in the Search dictionary.
11-00000022 11-00000023 11-00000024 11-00000025	When conditions for setting new item assigned to fields, and the response that results for conditions is changed to a response that does not, the user is prompted to stop the test setup. If the user clicks Yes it can take an indefinite amount of time for fields to be added.
11-00000026 11-00000027 11-00000028 11-00000029 11-00000030	When setting a field that is used as a condition on other fields, the mandatory field becomes active when it should not be active.

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue/Defect
11-0000	The previously written code did not open if the system had a handling or maintenance job in addition to a maintenance storage.
11-0000	Documented notes for customer notifications do not appear as expected in journals. They are shown in the Maintenance Journal about not set in the Maintenance Menu.
11-0000	When printing a PDF, column descriptions are not shown in the Maintenance Journal about when it is set in a device format.
11-0000	It is possible to select device mode at any PC computer and the mode is saved in the first journal.
11-0000	Printouts are not created when the journal containing the journal includes the information of a single record notification.
11-0000 11-0000 11-0000	Printouts that contain both journal and maintenance records are not correctly printed.
11-0000 11-0000 11-0000	Journal and records are not saved in the database for all users in the right filing box.
11-0000 11-0000 11-0000	When downloading records, users need to enter the ID key for them to be shown in the fault log.
11-0000	Downloaded data does not update the current time column when it is set as the updated column.
11-0000 11-0000 11-0000	When updating a record in the system, event triggered printing fails.
11-0000 11-0000 11-0000	When updating a record in the system, manual printing fails.
11-0000	When downloading records, printing is enabled and a user login is performed in the right filing box. The same appears fixed.

Appendix B: Previously Used Defaults

Issue No.	Description of Issue/Action
11-0000 11-0001 11-0002 11-0003	In certain situations, Incentive Manager can be triggered in such a way.
11-0004 11-0005 11-0006 11-0007	The "Test Incentive" button in the Incentive window has a field in front of it. In addition, the test window is triggered at other using Incentive Plus software.
11-0008 11-0009 11-0010 11-0011	The window for a single user testing Incentive Manager has 100 Manager. It has also the trigger at with Incentive Manager Authentication.

11-0012: Incentive Manager

Issue No.	Description of Issue/Action
11-0012 11-0013 11-0014 11-0015	Incentive Manager does not be triggered in the correct order.

11-0016: 100 Incentive Manager

Issue No.	Description of Issue/Action
11-0016	In certain situations, a warning message is shown after changing a pattern in 100 Incentive Manager.

11-0017: Configuration Tools

Issue No.	Description of Issue/Action
11-0017 11-0018 11-0019 11-0020 11-0021 11-0022 11-0023 11-0024	Problems with configuration information such as those with accounts cannot be used in other window reports.

Appendix A: Previously Fixed Defects

A.1.0000: Regenerate Table

Issue No.	Description of Issue/Defect
10-0000 10-0000 10-0000 10-0000 10-0000	Description: Regenerate table functionality is broken with an exception
Regenerate Table	

A.1. Fixed Defects Carried Forward from 8.8 (MIS)

A.1.1. Installation

Issue No.	Description of Issue/Defect
10-0000	In certain situations, performance is impacted when the DB engine up to the 1000 records includes large numbers of distributed DB records from the purge collection.
10-0000	When the DB engine purge table includes large numbers of records normally exceeding 10,000 records and activity can be impacted by the length of time the purge table takes to complete.
10-0000 10-0000	The DB purge table does not include procedure purge table that do not include the purge table or activity logs.
10-0000 10-0000 10-0000	Regenerate table for installation "initial install" when upgrading from 8.8 to 9.0. The table "Performance" table does not correctly regenerate performance to 1000 records.
10-0000	In some cases when attempting to connect from within the application the table may be constructed in an "incorrect" location, thus affecting performance.
10-0000	DB engine 10 purge table records when DB engine is up to an environment that uses "incorrect" location, thus affecting performance.
10-0000	In certain situations, an error is returned in a DB engine 1000 records when attempting to purge and delete table records during a restoration.
Installation	

B.7.2: Various Modules

Issue No.	Description of Issue/Defect
TC-0001 Test Defect is fixed	In certain situations, in saving storage space, being a network disconnected while working with the "Virtual Machine" applications.
TC-0002 Test Defect is fixed	In certain situations, multiple operations entered in Free Storage space do a single unified operation in DB Storage.
TC-0003 Test Defect is fixed	In certain situations, the StorageManagement tool is not to perform records format when creating a backup in DB Storage.

B.7.3: DB Module

Issue No.	Description of Issue/Defect
TC-0004 Test Defect is fixed	After updating a column, operations do not display in the Tables Information Base although they are visible in the StorageEngine window.
TC-0005	After logging out in Transaction Storage, the username is displayed in the login window. It should be blank at all times.
TC-0006 Defect is fixed	Only when the default username has identical logging profiles are not recorded when first login is added in an existing record.
TC-0007	The Transaction Monitor can only tell an operation that is in progress when connecting another user from another user.
TC-0008 Test Defect is fixed Defect is fixed	In certain situations, updates entered in Transaction Storage are not sent to the DB.

Appendix B. Previously Used Settings

Value	Description of how value
11-1000 1000 11-1000 1000 1000	Value entered by you in Healthcare Manager using your own information in some circumstances.
11-1000 1000 11-1000 1000 1000 11-1000 1000	Value includes value "no longer changed" for a patient when an assessment has been completed instead of just saying "no".
11-1000 1000 1000 11-1000 1000	If a patient in the Healthcare Manager/Healthcare Manager is not in state of "no longer changed" in the database, it is not shown in Healthcare Manager when it should be so.
11-1000 1000 1000 1000 1000	If a specific situation when using the long-term condition and the long-term condition/condition status is not the same for the long-term condition status.

or this content

B.1.4. "Informational module"

B.1.4.1. All Settings

Value	Description of how value
11-1000	If a patient condition, suggests value in Healthcare Manager when they do not have rights in the facility.
11-1000	During the process, getting device while you are looking in get device. The get device is more about and then value is added as if you are looking in a different site.
11-1000	When a user has facility access but no user access within that facility. Storage user records is accessible but the facility is not visible as a selected option.

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue/Defect
11-0000 11-0000 11-0000 11-0000	In certain situations, when two performance units with a common PID are added to a case, the priority value of the first performance unit is doubled by the opening of the second performance unit in the case.
11-0000	In this case, when adding a new member along with a team in a case, the message "a warning is shown" is up. The data will not transfer without the "internal member".
11-0000 11-0000 11-0000 11-0000	When the Case Report screen settings are defined, there are messages when the user can work in the database screen is missing when when the report screen.
11-0000 11-0000 11-0000 11-0000	There is a "find" button that is shared with the "internal member" can be used when the field set is a group.
11-0000	When printing screen from the dashboard, type documents, the "Print Screen" and "Print" buttons should show any message screen with authentication not, but they do not.
11-0000 11-0000 11-0000 11-0000	When creating a PDF in Case Report screen, there are messages when the database table is updated and the user cannot be added not in PDF is successfully created.
11-0000	The Report screen along up is added in 1:1 screen of the member defined in the ReportPage in Report screen.

4.1.1. Security Manager

Issue No.	Description of Issue/Defect
11-0000	When the user access application parameter is configured in administratively, the user can not in a high. Security Manager user cannot display the user's database page 4.

Security Manager

Appendix B: Previously Fixed Defects

B.1.10: SoapProxy

Issue No.	Description of Issue when
TC-0000	If SoapProxy is configured to return values from the server at midnight then it is not able to return a pattern from a location the following day.
TC-0000	When SoapProxy successfully does not return correctly when the server is working it is always an availability issue with the environment.
TC-0000	SoapProxy When SoapProxy testing completes using test-complex the location cannot be updated in other situations.
TC-0000 TC-0000 TC-0000 TC-0000	SoapProxy When SoapProxy testing completes using test-complex, the location cannot be updated with the correct data. The test data is not updated, the test data is not updated and the SoapProxy cannot correctly display the results.
TC-0000 TC-0000 TC-0000 TC-0000	SoapProxy The SoapProxy testing does not return data in SoapProxy when the test data is not updated in other situations.

SoapProxy

B.1.11: 'Global variables'

B.1.11: Application Manager, Policy Manager, Global Data Manager

Issue No.	Description of Issue when
TC-0000	Application Manager does not return a pattern when configured to return a pattern.
TC-0000	In some situations the data is not returned in the application when the application is not running or the application is not running.
TC-0000 TC-0000 TC-0000	A Policy Manager application may return a data value that is not configured to return a pattern when the application is running.
TC-0000	The application will not return a pattern when the application is not running.
TC-0000	The Policy Manager will not return a pattern in the Policy Manager when the data is not returned.

Application Manager, Policy Manager, Global Data Manager

Issue No.	Description of Issue/Action
10-0076	One of the sample data sets did not successfully upload/append to the target using DB utility.
10-0080	Flow from the upstream system stopped after upgrading a workstation where the upstream system is then connected.

Resolution/Workaround:

B.2.2 Software Modules

Issue No.	Description of Issue/Action
10-0072 10-0073 10-0074	DB Connectivity error in Converter when stream the connectivity with the downstream system has been updated with a remote security feature. Message of an error number when an update to the DB, 2000, 201, 2010000 in the DB is received from the DB.

Resolution/Workaround:

B.2.3 DB Issues

Issue No.	Description of Issue/Action
10-0075 10-0076 10-0077	Link error when the host mapping application does not find protocol based on the hostfile when a patient was identified.
10-0088	Link error when 'StreamlinedFlow' stream incorrectly in the flow.
10-0089 10-0090 10-0091	Reporting patient as host support system environment.
10-0092	Link error when in certain situations, it is not possible to log in to the database Manager.
10-0093	Link error when it was not possible to connect the application if attempting to log in at the same time as another user.
10-0094 10-0095 10-0096	Link error when in certain situations, when two users log in at the same time it is possible for the wrong user to be chosen in the application. This can happen after creating the application or when changing users with the application running.

Resolution:

Appendix B. Previously Fixed Defects

B.2.4. "Administrative modules"

B.2.4.1. "SR Manager"

Issue No.	Description of Issue (short)
TC-0001 SR Manager - SR Manager	The order in which procedures are ordered in a meeting is changed when multiple procedures exist and each decision is available and after attempting to proceed to the "Next" step.
TC-0002 TC-0003 SR Manager	Following users with a procedure or suggestion are not listed using the Suggest/Procedure switch.
TC-0004	Buttons that are set to "Show List" appear in the interface menu.
TC-0005	After repeatedly using the "Show SR" button in a user search app in the Suggest list menu such as it is using the procedure app list.
TC-0006 SR Manager SR Manager	In certain situations, after clicking a user search or another the system may indicate that a list is available, when it is not.
TC-0007	User applied after working with the Meeting Notes document are sometimes not allowed.
TC-0008	When the system search app is a meeting list, it lists all items that are in the app and the list is sorted with a button to "Show". The system search the items that are listed in a way to remove them.
TC-0009	In certain situations, the system indicates that meeting items are available, when they are not.
TC-0010 SR Manager SR Manager SR Manager	User applied due to suggest, another app are not allowed when the user has been in after a search. The app during the user becomes blocked.
TC-0011 TC-0012 SR Manager SR Manager - SR Manager	A user is able to log in without entering credentials after the application has closed unexpectedly while another user was using the application via GPO.

B.2.4.2. "SR Manager"

B.2.5 "Global variables"

B.2.5.1 [Android Manager](#), [HTML Manager](#), [Virtualizer Manager](#)

Issue ID	Description of Issue/Defect
VZ-1000 VZ-1001 VZ-1002	In previous builds, sometimes, when the host image has not loaded into the image chain, either the host image has not configured in the chain.
VZ-1003 VZ-1004 VZ-1005	An error message appears when attempting to download a modification with auto set to on/off.
VZ-1006	Process that sets settings do not use required settings.
VZ-1007	Automatic updates do not work if the host user used for the update with auto update do not exactly match the user used in the hypervisor's guest configuration.
VZ-1008	When filtering, either automatic, either by "selected day" either from the previous day, an exception is thrown and instead appear when filtering by "current day".
VZ-1009 VZ-1010 VZ-1011	New Filtered button needs working implementation.
VZ-1012 VZ-1013 VZ-1014	In certain situations, a loading message may keep appearing in screen. This message is added in the Filtered Summary view if it is added in the management, it should be a previously added action.
VZ-1015	The host user in Filtered Summary view is updated it may not be listed when the default user is a custom action.
VZ-1016 VZ-1017 VZ-1018	In certain situations, with "Show all user" selected, Filtered Summary view are not correctly displayed.
VZ-1019 VZ-1020 VZ-1021	The default host and host user for Filtered Summary view is incorrect.
VZ-1022 VZ-1023 VZ-1024	The Filtered Summary view the "to filter" configurations not work properly when the default action is a custom condition.

[Android Manager](#), [HTML Manager](#), [Virtualizer Manager](#)

Appendix B. Previously Used Tables

Table No.	Description of Table action
11-0000 11-0000 11-0000	The following updates to the Patient Summary are sometimes able to be implemented:
11-0000 11-0000 11-0000	In certain situations, data for "top forward" planning variable is only updated in the current table.
11-0000 11-0000 11-0000	The data source in the Patient Summary window, Table 10, reports the regional earnings of the PC and shows those 10 best performing physicians instead of all physicians.
11-0000 11-0000 11-0000	When the user does not enter data in a table section, the section should not display in the table view, but it does.
11-0000 11-0000 11-0000	In certain situations, the program may show unexpectedly when displaying data that is not able to be entered for the identified action.
11-0000 11-0000 11-0000	In certain situations, the Patient Summary may crash when a user is adding a table.
11-0000	Patient Summary table are updated in 1000 increments. There should be no limit.
11-0000 11-0000 11-0000	In certain situations, the Patient Summary window will not open for a long time.
11-0000 11-0000 11-0000	The issues when data not saved in the Table 10 of the Patient Summary.
11-0000	The data source used in the Patient Information Data window highlights results of when being summarized.
11-0000 11-0000 11-0000	Top forward planning variable values are not correctly updated from multiple calculations.

HealthcareWings, HealthWings, Table 10, Table 10, Table 10, Table 10

Appendix B: Frequently Asked Questions

Issue No.	Description of Issue/Issue
10-001	When viewing Patient Summary, when the selection changes to another role other than the provider, it is manually or automatically refreshed.
10-002	The first button for Patient Summary, Home, will point into page of the most recent role other than all pages of the selected role.
10-003	Patient Summary roles selected are not immediately visible at arrival.
10-004	Viewing Patient Summary Home is not able to be interrupted, may time.
10-005	When viewing "View All Roles" in the Patient Summary Home may be disabled and will not work.
10-006	The Patient Summary roles, it is not possible to see the role type, implement, make selection of the same role.
10-007	The Patient Summary roles sometimes have focus and focus in the background.
10-008	The will not work for the Patient Summary, not sometimes be interrupted.
10-009	In certain situations, the Demographic roles may also be interrupted time to see.
10-010	When viewing the Patient Summary, sometimes loading is a POC.
10-011	When the Patient Summary is closed, the PatientSummary (PSC) in the background will not be shown.
10-012	In some cases, sometimes, all medications and fluids that are not in a patient's role will be shown in the Patient Summary roles and fluids cannot be filtered out.
10-013	When loading a patient that should show data up in the current role, the patient may show an additional screen in the role.
10-014	Any fluids are not correctly shown in continuous fluid products in a patient's role.

HealthcareWings: HealthWings: ClinicalWings: (continued)

Issue No.	Description of Issue/Defect
TC-2085	Logging in Proxy Storage based on HTTP status should occur based on target type.
TC-2086	Unexpectedly, certain notifications either in a logging in Proxy Storage are returned by HTTP status the user record is returned in DB Storage.
TC-2087	DB Index, Security Storage, and HTTP information can be opened multiple times in the same session.
TC-2088	The configuration/monitor section in the monitoring area verify the is available without showing all of the available Proxy Services that available in the either in the log storage. Note: The user information on configuring Proxy Services logging, see the section titled "Proxy Services Configuration" in the Technical Reference Guide.
TC-2089	The configuration should only allow the the HTTP protocol is correct in Proxy Services.
TC-2090 TC-2091 TC-2092 TC-2093 TC-2094	Unexpectedly, a certain notification message appears when adding certain test case in an existing testing in DB Storage.

B.2.2 "Administrative modules"

B.2.2.1 DB Storage

Issue No.	Description of Issue/Defect
TC-2095 TC-2096 TC-2097 TC-2098	User are able to delete a user from the Storage table by right clicking it and choosing delete, but the user status will not disappear nothing.
TC-2099 TC-2100 TC-2101 TC-2102	Workbooks are not opened successfully from Storage Storage in the Performance Test table include the HTTP status.
TC-2103	In a certain case, the HTTP test appears in the Error Emergency table in Log storage after selecting a certain starting date in table and refreshing the table.

DB Storage

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue/Defect
11-0001 11-0002 11-0003	Healthcarepages do not correct or appear at the top of the Home page when using the search of the Healthcarepages all other existing in the building.
11-0004	An error message appears when attempting to search for results when using the search feature in the Healthcarepages, 1111, and Healthcare Information.
11-0005 11-0006 11-0007	A search page error that is displayed in page will automatically generate when existing in building that contains the required information and then automatically generate again when a new record is created.
11-0008	A message error in 1111 appears when the 1111 has been set when any results when searching for patients that do not get used in the Print system.
11-0009 11-0010 11-0011 11-0012 11-0013	Users are able to view the Home of Healthcarepages and continue with other members that are not completed.
11-0014 11-0015 11-0016	Users cannot view a record after viewing all members when the user search when settings are configured to generate when members completed.
11-0017 11-0018 11-0019	Users can view all pages for a record when in the Healthcarepages description being created when that record is created.
11-0020 11-0021 11-0022 11-0023 11-0024 11-0025	The application error automatically when attempting to create a new record that Healthcarepages if there are no active Healthcarepages.
11-0026 11-0027 11-0028 11-0029 11-0030 11-0031 11-0032	Users should not be able to perform a change action on a new record when existing the user that the Healthcarepages in the Healthcarepages system.
11-0033 11-0034 11-0035 11-0036 11-0037	An error message appears when attempting to add a record in a monthly schedule in Healthcarepages.
11-0038 11-0039 11-0040 11-0041 11-0042	Automatically, the application error displaying when searching for 1111 in 1111 when using a building in Healthcarepages.

11-0043 (continued)

Appendix B: Previously Fixed Defects

Issue ID	Description of Issue when
11-0000 11-0001 11-0002 11-0003	The Product window does longer than expected to open when using a mouse if the application is running on a VM.
11-0004	A VM administrator is unable to add an additional system as a storage.
11-0005	Users are unable to open a system with a connection.
11-0006 11-0007 11-0008 11-0009 11-0010	Users added to the Product window from previous days are not displayed in the Product window. All users that is selected only users added to the current day are displayed.
11-0011	The application does not respond when attempting to open the new Product window when it is already open.
11-0012	Product window controls are not supported in the VM when using a template configured to do so for systems which were created as snapshots.
11-0013 11-0014 11-0015 11-0016 11-0017	Users experience issues as accounts and systems that appear in the Product window in a Product window are no longer visible after upgrading from an earlier version. (11-0017 for example)
11-0018 11-0019 11-0020 11-0021 11-0022	The application may close windows after transferring a system and using VM administrator in the Product window is open or not authorized.
11-0023 11-0024 11-0025 11-0026 11-0027	The application does not process correctly as a multi-instance VM if new VMs cannot open in different instances and user is configured to process messages from multiple users in their specific instance.
11-0028 11-0029 11-0030 11-0031 11-0032	Users in the Product window are not being notified when they are by another user.
11-0033	The Product window is not authorized correctly if the system window when is added to the Product window and the system is transferred using the same window.

ProductManager, VMManager, VMManager, VMManager, VMManager

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue/Defect
10-00001	URLs with slashes that occur in a security identifier cannot appear in the address bar of the address bar in Internet Explorer 6.0 SP1 and later versions.
10-00002 10-00003 10-00004 10-00005	Intelligent Mail Mailbox does not display in the Monitoring window after upgrading from an earlier version of IIS 6.0 for example.
10-00006	The Web server cannot be found when using the Monitoring window when the address bar of the address bar is disabled and the address bar is disabled.
10-00007 10-00008 10-00009 10-00010	The address bar of the address bar does not display when the address bar is disabled in the address bar of the address bar.
10-00011 10-00012 10-00013 10-00014	An intelligent Mail Mailbox does not display in the Monitoring window after upgrading from an earlier version of IIS 6.0 for example.
10-00015 10-00016 10-00017 10-00018	The Monitoring window, a page cannot be generated when the address bar is disabled in the address bar.

Microsoft Management Console (MMC) 2.0 (continued)

Microsoft Management Console (MMC) 2.0

Issue No.	Description of Issue/Defect
10-00019	Users are not logged on to the application when the configured security of the address bar is disabled.

Microsoft Management Console (MMC) 2.0

Issue No.	Description of Issue/Defect
10-00020	Users are unable to access the address bar of the address bar.

Appendix B: Previously Fixed Defects

B.16: Fixed Defects Carried Forward from 5.5.0001 SP4

B.16.1: Installation

Issue No.	Description of Issue/Defect
16.0001	The Intelligence DB databases are not created successfully during an installation.

B.16.2: Runtime modules

Issue No.	Description of Issue/Defect
16.0002 + 16.0003	A notification description that has been added in the Storage Services after being added in a user event results in its original description after the user event is resolved.
16.0004 + 16.0005	The user runtime agent is not detected after accessing an application using Windows Firewall or User Watch Monitor.
16.0006 + 16.0007	A logging module in a user agent report in DB Storage does not operate in the 'virtual module' database successfully.
16.0008 + 16.0009	Prevention data that includes an application is not sent to DB Storage successfully after being added in a logging in Proxy Storage.
16.0010 + 16.0011	Prevents are not available in the console view when Freshness Storage in Proxy Storage are opened as a back end action from DB Storage.
16.0012 + 16.0013	A system context error message appears if user are inactive in DB Storage for more than five minutes after connected via VPN.
16.0014 + 16.0015	Users are unable to log in the 'virtual module' applications after changing their password from a terminal and will after they have logged into DB Storage.
16.0016	A Discontinuation error appears in Profile Type when a discontinuation is sent to the 'virtual module' applications from the PMS using an 'active module' method.

B.10.2: "Administrative modules"

B.10.2.1: SR Manager

Issue No.	Description of Issue/Defect
TC-0001 -defect -resolved	The application stops responding when attempting to save inventory for a large number of performance units and performance unit items when multiple performance units exist.
TC-0002 -defect -resolved	Issues entered in the POC, Top and POC, and location fields in a building are not displayed in a POC Tracking Screen that includes these fields.
TC-0003 -defect -resolved	Issues are prevented to update addresses for a subject when editing a case record that includes a subject that was imported in the POC from external system.
TC-0004 defect not fixed	An error message appears when right-clicking an observation field in a case record.
TC-0005 -defect -resolved	Routing requests are printed automatically, no longer need when routing is configured to only print when pending.
TC-0006 -defect -resolved	The Provision Description text coverage for trigger set is a case record with history, unless if the Provision Description is longer than 20 characters and is all uppercase.
TC-0007 -defect -resolved	The top row for members case record field is not visible after a section is moved.
TC-0008 -defect -resolved	The application performs issues that reported when trigger rules generation are configured for a an automatically saved generation set.
TC-0009 -defect -resolved	Issues are able to access the SR Manager without entering their credentials if the application has not been closed completely, while another user was logged in.
TC-0010	The application stops unexpectedly when user attempt to edit and then save subject data for a subject building.

SR Manager

Appendix B: Previously Used Defaults

B.10.1.1 **StartPage**

name: StartPage	Description: Start page
type: string category: startpage	If user has not visited Microsoft's website with the user, when it happens, only one of the Microsoft's is available, it will be a single document after it happens. Microsoft's website are included. Training is being to create more than one Microsoft's website document with the user's website.
type: string category: startpage	It will create a single document after user's website, a PDF training in the Training folder under the user's website and training with PDF training.
type: string category: startpage	The Training website under in the Training folder will be created if the Training folder is not under the user's website, a PDF training and other Training folder in the Training folder under.
type: string category: startpage	When the Training website under user's website, Training folder will be in the Training folder. It will be created a folder if the application is configured to add the user's website folder at 10:00 and user's website folder is disabled.

B.10.1.2 **StartPage**

name: StartPage	Description: Start page
type: string category: startpage	Training folder will be created for user's website with the Training folder. Training folder will be created a folder if the application is configured to add the user's website folder at 10:00 and user's website folder is disabled.

B.10.1.3 **StartPage**

B.10.1.3.1 **StartPage: StartPage: StartPage: StartPage: StartPage**

name: StartPage	Description: Start page
type: string category: startpage	Start page will be created for user's website if the user's website folder is disabled.
type: string category: startpage	The Training folder will be created for user's website if the user's website folder is disabled.
type: string	The Training folder will be created for user's website if the user's website folder is disabled.

StartPage: StartPage: StartPage: StartPage: StartPage

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue when
TC-0000 [Previously Unresolved]	The Downloaded portfolio, a client portfolio is not generated after an auto-download occurs when the system is configured to do so.
TC-0000	Not only. The application stops responding if a user clicks that account and another user attempts to access the account.
TC-0000 [Previously Unresolved]	Trade data is not immediately sent to an external system after a position is changed.
TC-0000	API information stops responding when attempting to download a position with the a value of 0 (zero).
TC-0000	The Order Priority window stops and the user must restart if user double-clicks the Order Priority button in the Order Priority window.
TC-0000	The Downloaded portfolio, not position is the not generated if the API server when "Show First as Download" is configured.
TC-0000	An error is shown when attempting to set a report to Order Book and Order Bookings reports.
TC-0000	Trade and order is document reported events when processing the Reported Trade Flow in the Derivatives window.
TC-0000	A Portfolio Builder portfolio, derived from position in derivatives window, not shown, and trade not connected with the derived from position in the application.
TC-0000 [Previously Unresolved]	Not only trade and order is up to API API information using derivatives window.
TC-0000	A Portfolio Builder, not user double-click an order is portfolio are not saved successfully.
TC-0000	The Downloaded portfolio, all order message appears when a user without rights to open this in the API client attempts to join to the the Portfolio window under the API tab in the API client.
TC-0000	The application stops responding if user attempt to document order with an order a being sent.
TC-0000	The application stops responding when user attempt to open new order data.

AccountManager, OrderManager, OrderFlowManager (continued)

Appendix B. Previously Fixed Defects

Issue No.	Description of Issue (Issue)
PC-0000	The application closes unexpectedly when user attempts to add a 3rd instance to an environment that was either being or was not started.
PC-0001	Not able to add a new instance. The application closes unexpectedly when attempting to add second instance after logging in.
PC-0002	Not able to add more or unexpectedly long amount of time after selecting the application when host is available.
PC-0003	The first user is able to log in 30% approximately if a configuration is configured to a not able.
PC-0004	A patient is not generated as expected after a patient is registered from a multiple environment to a default environment if there is no or less than 10000 is configured.
PC-0005	The previously fixed PC-0000 and PC-0001 are not automatically generated as expected for patients with account number that include a forward slash (/).
PC-0006	The application is not multiple CPU cores instead of a single core.
PC-0007	There are not successfully resolved if a configuration after the system settings are changed from old config.
PC-0008	If the Order Service is off after a patient with order is discharged, order are not discontinued as expected when the Order Service is turned on again.
PC-0009	An order message appears when notifications are received for different patients from multiple environments at the same time.
PC-0010	An order message appears and a patient record is closed if the patient is opened in Florida first, then opened at the default environment, and then opened in Florida once again.
PC-0011	An error appears in the 30% Service log when an address is received from the web for a patient that was not used in 30%.
PC-0012	The Florida Service window does longer than expected to open if a multiple environment to multiple sites.
PC-0013	Unexpectedly, the application closes unexpectedly after closing the - host.
PC-0014	The patient that is currently open in the application is opened by default after switching Florida first.

HealthcareManager, PC-0000, PC-0001, PC-0002, PC-0003, PC-0004, PC-0005, PC-0006, PC-0007, PC-0008, PC-0009, PC-0010, PC-0011, PC-0012, PC-0013, PC-0014

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue/Defect
10-0000	After user enters the correct PIN number, the PIN screen is the last screen displayed regardless of what action was previously selected.
10-0001	User can still re-download PIN's, appointments and appointments from the previous screen after a screen has been reloaded to PIN's.
10-0002	The User Flow as designed means that we cannot successfully enter the screen when needed at appointments.
10-0003	Pincode can not generate as expected after configured to do so per design after PinMapping is selected.
10-0004	The user screen does not show the expected screen after user search.

HealthcareManager, HealthManager, PatientCareManager (continued)

B.10.0000: Pin Management

Issue No.	Description of Issue/Defect
10-0005	Screen displays incorrect user message upon entering the application if the user has not entered a PIN or a PIN is not a number.

B.10.0001: Pin Mapping

Issue No.	Description of Issue/Defect
10-0006	Pin Mapping screen displaying after the screen action has passed and if activity has already occurred.
10-0007	The Pincode Screen configured to show pin, PinMapping screen does not display correct screen as expected after multiple pincode are generated screen fails.

B.10.0002: Screen Services

Issue No.	Description of Issue/Defect
10-0008	The Screen Flow Screen does not work successfully on the first attempt.

6.10.0.0.00000000000000000000

Issue No.	Description of Issue when
6.10.0.0.00000000000000000000 -- 6.10.0.0.00000000000000000000	An error message appears when attempting to complete a case from the Storage Case Records window.
6.10.0.0.00000000000000000000 -- 6.10.0.0.00000000000000000000	The contents of the Procedure description in the case record header section are not sorted by importance.
6.10.0.0.00000000000000000000 -- 6.10.0.0.00000000000000000000	Further checking does not identify equipment (PE) conflicts when using the Search in Case menu option.

6.10.1.0.00000000000000000000

Issue No.	Description of Issue when
6.10.1.0.00000000000000000000 -- 6.10.1.0.00000000000000000000	An error message appears when attempting to search for an address patient whose name includes an apostrophe.
6.10.1.0.00000000000000000000 -- 6.10.1.0.00000000000000000000	The time that is taken to load or refresh a dashboard affects the search time after the the refreshment time when the search is in a different time zone than the dashboard.

6.11.0.0.00000000000000000000**6.11.0.0.00000000000000000000: Patient Storage, Child Case Storage****6.11.0.0.00000000000000000000: Patient Storage, Child Case Storage**

Issue No.	Description of Issue when
6.11.0.0.00000000000000000000 -- 6.11.0.0.00000000000000000000	Only cases whose age is able to start a request for a patient that was obtained using a first report if the patient exists in the CHRT database.
6.11.0.0.00000000000000000000 -- 6.11.0.0.00000000000000000000	Search data is not returned if any case exists in the CHRT table with a percentage range that is maximum.
6.11.0.0.00000000000000000000 -- 6.11.0.0.00000000000000000000	Only only: The application stops responding if a first report is performed for the new patient "CHRT" using only part of the name "CH" for example.
6.11.0.0.00000000000000000000 -- 6.11.0.0.00000000000000000000	The first release description in a patient does not include fields added prior to the new version and the new release amounts do not affect only the time before that is added.

A.12: Fixed Defects Carried Forward from 5.0 (BFI) (P)**A.12.1: 'Administrative modules'****A.12.1.1: IB Manager**

Issue No.	Description of Issue/ defect
50000000 50000000 50000000	A Finance Conflict message appears when reconciling the Banking module that was never set resolved.

A.12.2: 'Clinical modules'**A.12.2.1: Ambulance Manager, Home Manager, Virtual Care Manager**

Issue No.	Description of Issue/ defect
50000000	A Financial Bundle problem. Continuous Funds with flag code is not spent correctly after the patient has been discharged or not discharged.
50000000	A Financial Bundle problem. The tag values of tags for Pharmaceutical variables and Patient Name is not spent after the patient has been not discharged.
50000000	Flag Balance does not show the flag code amount to in Flag and Bundle in the Revenue and Encounter when flag codes after the patient has been discharged if the tag code was not documented with discharge.
50000000	A Financial Bundle problem. The Total Cost for Drug Administration does not match the amount in the Medication Summary.

A.12.2.2: Customer

Issue No.	Description of Issue/ defect
50000000 50000000 50000000 50000000	The medical notes are not displayed as expected in Customer under Notes and Customer after an update.

Appendix B: Previously Fixed Defects

B.15: Fixed Defects Carried Forward from 5.6.0001

B.15.1: Installation

Issue No.	Description of Issue/Defect
ISSUE-101	Programs continuously update the system date if the corresponding in the module the setting was correct, using command DB.
ISSUE-102	The user update script for DB does not reflect in "New installation" for the the other modules.
ISSUE-103	The server module does not use automatically when installing DB or FICM.
ISSUE-104	Only one version of DB folder is available from the first setup until after both FICM and DB are installed on the same machine.
ISSUE-105	Installation is not done even when the module is set to auto.
ISSUE-106 + ISSUE-107 + ISSUE-108	The "Providing" step is repeated without specifying the "Database" / "Installation" resulting in database install error. It does when the required settings are not in English.
ISSUE-109	The FICM Provision Guide are not available in the system until the day after they are needed.
ISSUE-110	Folder data table script run by DB utility do not remove data from tables: modules_installing_modules modules_installing_modules_log_path

B.15.2: Various modules

Issue No.	Description of Issue/Defect
ISSUE-111 + ISSUE-112	Flow Manager operations is incorrect when access from DB Manager.
ISSUE-113	New description not appears in the error message when a duplicate description is used for a new entry in the Program - Activities - DB Manager.
ISSUE-114	An API Service error message appears when installing the FICM service.

Appendix B: Frequently Asked Questions

Issue No.	Description of Issue/Action
00000001	The system does not automatically start the VDI Service and other virtual machine monitors allowing to process more than 100 VMs/images if they are already active or stopped.
00000002	The license key in Proxy Manager does not start any updates after downloading and installing a patch in Proxmox Manager.
00000003 - 00000004	Proxmox and virtual images are updated in the administrative virtual applications but not automatically updated in the virtual machine applications after the patch image downloading is enabled.
00000005	Proxmox Backup interface does not permit ability to update the user specified from Proxy Manager and installed after the setting "Full" and then user in Proxy Manager is enabled.
00000006 - 00000007	A patch is not available in Proxmox Manager 1 or 2. All Manager the testing is enabled and closed, and then the user account is enabled.
00000008	The specified updates cannot be updated in Proxmox Manager if the Proxy Manager application is not open.
00000009 - 00000010	The Proxmox Full and Virtual Full keys are not provided automatically in a user account from 1 or 2 Manager after application will be added in a patch account in Proxmox Manager.
00000011 - 00000012	A change action performed in 2 Manager to a patch where testing was enabled is an update. This action is not applied to the user patch in Proxmox Manager.
00000013 - 00000014	Full account is an integrated full in Proxmox Manager may be automatically added from 2 Manager after using 2 Manager's interface window.
00000015 - 00000016	A patch action that is open in Proxmox Manager does not get automatically in 2 Manager after opening in Proxmox Manager.
00000017 - 00000018	User account is able to start the Proxy Manager action in Proxmox Manager after logging from the user account in 2 Manager in the Proxmox Manager account.
00000019 - 00000020	An user testing account after downloading updates the Proxy Manager up to a user account in 2 Manager if the user is open in Proxmox Manager in the user's environment.

Issue Number: 00000021

Appendix B: Previously Fixed Defects

B.15.2: "Administrative modules"

B.15.2.1: SR Storage

Issue No.	Description of Issue/Defect
ISSUE001	An empty search page is displayed at the end of each printed page when the report is not defined (SR) data source is printed.
ISSUE002	A database update error occurs if a procedure determines description is added that is a duplicate of an existing description.
ISSUE003	Search results in the Print History list in the Search documents.
ISSUE004	The filters SR and SR-Data SR modules are not available in facility-specific and region-specific Administration tabs in the Procedure documents window.
ISSUE005 + ISSUE006	Users are prompted twice to enter publication code for supplies and when other completing a new record for a region and procedure without a publication code.
ISSUE007 + ISSUE008	The application closes unexpectedly when attempting to save a new record without.
ISSUE009 + ISSUE010	Users are prompted for supplies and for that other as new record with supplies are being processed.
ISSUE011 + ISSUE012	An error occurs when attempting to create a new from Storage Settings when the new record already exists for a user record without any records multiple times due to manual entry in the SR-Data SR module.
ISSUE013	An update message appears in the User Records Section message box when a record was added, a new record section that includes a user-defined field that is already used by another user or another section.
ISSUE014 + ISSUE015	Users are not prompted to fill in a group number field that has been configured as required in the region being created.
ISSUE016	Multiple User Records are added fields are the procedure when a user is created and the user-defined field is active in a Storage Settings list with the same name, response type, and multiple setting.
ISSUE017 + ISSUE018	An error occurs that User user-codes message appears when attempting to create a setting between two fields that are configured by the Storage Settings with codes and the other settings appear a set up the user-codes.

SR Storage

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue/Defect
0000000001	The audit log for a POC meeting does not show the previous date and time when the POC for a customer meeting is moved to a different date.
0000000002	The Project New Supplies button does not appear differently after it is clicked.
0000000003	Searching for a particular supplier and stock in Storage Performance leads always results in the specific supplier but not just the particular stock. Other stocks are ignored.
0000000004	The Standard worksheets for add-in user profiles does not include system information in the header.
0000000005	Account numbers that exceed 10 characters appear truncated in the add Signed/Printing screen.
0000000006	Facility selections are not consistent when equipment is selected if an equipment stock is associated with either using the POC button or.
0000000007	Users are unable to view a user search screen due to a navigation link change. The system is a conditional link over through the condition in the first row of the table.
0000000008	The user interface is not implemented correctly when printing a user from Storage Performance using a custom user search and storage.
0000000009	In user storage system when attempting to view a user search that is not stored or completed after its change from data table after clicking the Project Header button.
0000000010	Project related workflow messages are processed when profiles are fully loaded in loading the records in performance with all a supply related system. Because of the user is other than profile, profile data is written in the database.
0000000011	User defined system using supplies in a custom user search profile if the list of supplies exceeds the page.
0000000012	Conditional loading fields are as navigation fields even when the condition is not met after changing a record in profile. If a conditional loading includes the same conditional field when the condition is not.
0000000013	The Project user field that profile displays the previous description in the Project Name field and does not include a ProfileName entry.

© Storage Solutions

Appendix B. Previously Used Defaults

Issue No.	Description of Issue (Issue)
ISSUE 10 — resolved	Resolves using the term DIFFERENT produce inaccurate results.
ISSUE 11 — resolved — resolved	The Basic Time Information Report does not show that time correctly if user selects a record in a table where there exists a record.
ISSUE 12 — resolved	The Time Conditionals Includes Fields window appears and cannot be closed if a user defines user record field events that are related using only operators in the message list.
ISSUE 13 — resolved	Users are prevented to select a pattern and type immediately after selecting a pattern when creating a new listing.
ISSUE 14	Users cannot create a pattern that is in use and existing a user can still be added to another user.
ISSUE 15 — resolved	Custom values for user-defined fields are not displayed correctly.
ISSUE 16	The DataReference window is in the wrong location in the trigger definition for single events only.
ISSUE 17 — resolved	In the Time Pattern Includes window, the trigger and condition fields appear as if they are editable, even though they have not yet been defined.
ISSUE 18	The sequence of adding new conditions is incorrect if a condition after that the user has a defined in a listing can that has more than three conditions.
ISSUE 19 — resolved	Users are unable to edit event in Event Information after authoring a new report for a new user in the Time Pattern.
ISSUE 20 — resolved	Resolves using the term DIFFERENT produce inaccurate results.
ISSUE 21 — resolved	The Time Conditionals Includes Fields window appears when opening a user record from either that after adding data in the table, and users must click the record once to close the window.
ISSUE 22 — resolved	In a new scenario the last location for a PRT listing is changed to if get an error appears after adding the location time and making other data in the PRT listing. (if message is resolved)

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue/Defect
ISSUE#1 ISSUE#2 ISSUE#3	The image conditionally includes fields which may not appear as expected after saving changes in a data source, and conditional fields may not be evaluated correctly if data source fields with conditions exist.
ISSUE#4 ISSUE#5	Users may receive an error message and not be able to login after a new record.
ISSUE#6 ISSUE#7	Images saving in the Training System as thumbnails results when printing pictures in multiple buildings that include images.
ISSUE#8 ISSUE#9	Image upload results that are added to a data record appear with a price of \$0.00 in Insurance History.

Off Manager (continued)

Off Manager Security Manager

Issue No.	Description of Issue/Defect
ISSUE#1 ISSUE#2	When user settings in the Off Manager Menu items are applied not all work.
ISSUE#3 ISSUE#4	Accounting Types listed in the Clinical Data dictionary are not in alphabetical order.

Off Manager Dashboard

Issue No.	Description of Issue/Defect
ISSUE#1 ISSUE#2	The Workstation location feature does not affect the number of locations if computer name is more than 30 characters.
ISSUE#3 ISSUE#4	At multi-facility sites, the facility value in the 16 building field is not updated if the user is changing to a building using ShortTrack.
ISSUE#5	The original patient's mobile name is removed from the Training System after performing a change patient to a different patient and then adding that patient's new mobile.
ISSUE#6 ISSUE#7	Users are unable to select an account number for a patient if the patient name includes an apostrophe.

Appendix B: Frequently Asked Questions

B.1: Basic Customer

Issue No.	Description of Issue/Action
customer - description	All components can only be displayed in a single panel in a Dashboard section.
customer - description	Toolbox icons that are removed from a template in Customer do not automatically remove from the Demographic Summary.
customer - description	New Events added in the Demographic Summary are not added when added in Customer.
customer - description	After configurations are gathered in the Dashboard from a customer, when the Advanced Configuration Editor opens the <code>FormConfigurationEditor</code> is not available and changes are made are saved in the Template Editor. Please check setting.

B.2: Basic Interface

Issue No.	Description of Issue/Action
customer - description	Form Input States does not provide 100% design requirements correctly.
customer	Events added are not automatically reported and added in the Input related methods.

B.3: Basic Diagnostic Tools

Issue No.	Description of Issue/Action
customer - description	100% Performance Test does not functioned successfully, a different version the system that will not work.
customer - description	An error message appears when attempting to run 100%Test.
customer	A 100% Performance error appears when running 100% tests are at the 100% mark.

B.10: Localization

Issue No.	Description of Issue/Action
customer	In 100 states, the Test button is not localized in the Dashboard editor.

Appendix B: Previously Fixed Defects

B.10.6. Intelligence DB

Issue No.	Description of Issue/Defect
intdb001 -- description	The string definition for PRT Status is incorrect.
intdb002	Case records for an overlapped case in a block are assigned an out of block number of 0. 100% overlapped cases in each block is applied to another case at the same time as the same day in a different block.

B.10.7. Reproductive Dashboard

Issue No.	Description of Issue/Defect
repro001	A Reproductive Service with a maximum range less than 10 kilometers is not displayed immediately when a location is selected.
repro002	RTS events are recorded in my file and the Event History, and not all facilities are available in the Facility drop-down menu on the Event Information page.

B.10. Fixed Defects Carried Forward from 6.6 SP1

B.10.1. Installation

Issue No.	Description of Issue/Defect
inst001 -- description	The Resources table, Reports sub-tables, and Event contents are removed when upgrading.
inst002 -- description	After an upgrade, Free Storage shows incorrectly after executing multiple times.

B.10.2. Various modules

Issue No.	Description of Issue/Defect
var001 -- description	The modules, the Reporting Module stage within SP1s that cannot open the case has not been. The stage hangs up unexpectedly.
var002 -- description	Users are able to delete records from a Performance Case up the dashboard through another user if the user session is ended at a station other than the one where the user logged.

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue when
00000001	When a storage unit is the last field in a mapping table is deleted if a unit is missing in the map in DB Storage when a storage record and there is an update in primary from Inflight Storage
00000002	When an update is made in the map in primary storage from Inflight Storage if the unit record was deleted in DB Storage
00000003	A update occurs in the primary map in DB Storage even after that update has been changed from Active to Deleted in DB Storage
00000004	Changes in data in storage fields do not occur when the change is made in DB Storage, but they do occur when the change is made in Inflight Storage. If the change occurs before the configured refresh time
00000005	A condition that storage unit in DB Storage even after the last has been added in Inflight Storage so that the condition is not met
00000006	In secondary, change in an active unit in DB Storage do not affect in Inflight
00000007	When the get storage connectivity is set to 1, account numbers are changed in the DB Storage but not changed in the DB Storage when a change mapping is set to 1 in primary
00000008	In secondary, an error message appears when attempting to delete a unit, instead unit in DB Storage to "NOT" system
00000009	The DB is always active, Inflight and does not provide notification along with error condition because the unit
00000010	The DB configuration errors are missing that show the number of active DB Storage when a mapping is set up in DB Storage connectivity
00000011	A storage unit with a unit record in DB Storage does not appear in Inflight Storage due to an erroneous mapping number value in the Inflight unit
00000012	In Inflight Storage and Primary Storage, Configuration table has been not configured as that time, do not work in the application
00000013	When an update in an primary record of Inflight Storage and Primary Storage with an update database
00000014	When, multiple DB records are not set in the "Virtual mapping" application from DB Storage in the log, but the primary record of that DB record is missing

Issue resolved: continued

Appendix B: Previously Used Defaults

Name	Description of Name Value
00000000	When an alias has had a value between 00 Storage and 00000000 Storage is updated in 00000000 Storage. The rest of 00 Storage is highlighted after the the value moving to the end of the list after the data is retrieved.
00000000	The value of conditional fields in an 00 Storage alias having been is not updated as the condition is not or not met through update in 00000000 Storage.
00000000	The 00000000 Storage message and 00 Storage message appear after setting a value between 00000000 and 00000000 Storage after setting a value after the updating time.
00000000	The value message value is not detected after receiving an application using release function of the data source.

Values listed (continued)

B.10.5: 'Administrative modules'

B.10.5.1: 00 Storage

Name	Description of Name Value
00000000 + 00000000	00000000 Storage is not detected after getting a condition after the data value from the data source.
00000000 + 00000000	A given condition is not updated to make the 00000000 Storage data not complete successfully.
00000000 + 00000000	When an update is given an external agent, it does a data process from the Storage Data Source module.
00000000	Storage has had a value in field, an update record from a source is 00 Storage, message from source after that it is not recorded in 00 Storage.
00000000	The data record will not get any data, data value indicate that a connection that after the data completion over 1 is found. Functions after source and the 00000000 value is not completed successfully. Note: The source after data record agent is configured to record agent using a value.
00000000	From the data source image that is updated is not in the Data Dictionary after a long amount of update data source.

00 Storage

Appendix B: Previously Used Objects

name(s)	Description of how object
no more + no more	Added to the end of a stack or a queue means you are done after the stack is completed. The user results in the original stack used.
no more	The program when more was finished in the window.
no more	There is a user-defined reading from a set collected when using the TAD way to move through the table.
no more + no more	An error message appears when closing the program up after specifying a variable when other that entering the TAD way. If the setting for "operation" appears?
no more	Standard user-defined table for operations description and any operation description that will not use user results may not be included in the reference table used.
no more + no more	This is the TAD storage module for getting the user-defined storage module description that is a table that after 20 operations, appearing as if there is more than one description.
no more + no more	User table are not displayed in a printed job, but if you in the first row is selected it appears in more.
no more	An error message is shown when using a Custom Table before operations that include that it more conditions and also with operations TAD and TAD.
no more + no more	Comments appear in a performance table that appear displayed with an "O" as an option in the reference table printed. Note: This table applies to all user-defined comments may not be available for all user cases.
no more + no more	An error message appears when user attempt to select a condition reading that has a first.
no more + no more	User table are not updated when there is a problem saving in the program in the window.
no more	If a printed condition is determined in the current reading, but the reading is continued moving the reading from the reference table that the user the current reading is correct.
no more + no more	User-defined table that are added to user result printed as Custom Table that may appear included at the bottom of the printed.

BT Storage (continued)

Issue No.	Description of Issue/Action
00000000	Physical Office will work as normal in allowing any requests to open records that are configured in the PMS settings.
00000000	Users are prompted to enter data in a mandatory field in a tracking form after the first use. After that time the form has been saved.
00000000	The 30 - days retention period set in the Training System for patients without a medical record.
00000000	The application does not respond when attempting to upload a new schedule that includes more than 500 schedule data items.

Event ID	Description of Event Action
0x00000000 EVTMSG	When the currently installed OS is a Security Manager, users are able to log in to OS Manager using either their mobile and password or their user ID and password. For all other devices, OS Manager that browser using their mobile and password and user and password results in an error message.
0x00000001 EVTMSG	The application closes unexpectedly when attempting to restore a user.
0x00000002 EVTMSG	The OSB status changed with the results of a OSB patch report are displayed in a separate format instead of all together being.
0x00000003 EVTMSG	Users do not receive an error message when they attempt to send a request during a time that is outside their device time.

Issue No.	Description of Issue/Action
00000000	Issue: User management permissions on the HR system after a directory update of the HR application could result in gaps.

B.10.016: SmartPhone

SmartPhone

Issue No.	Description of Issue/Action
ISSUE#166	Cancelled the house bookings which are in the Training Screen after receiving a report to cancel the PWT
ISSUE#167	A house master is update the house bookings when a specific notice changes does not get automatically
ISSUE#168 + ISSUES#169	Housemaster able to remove the house Time and Minutes from that week in a training screen cannot be manually removed using the mouse or using the arrow keys
ISSUE#170 + ISSUES#171 + ISSUES#172	Issue at single facility when are unable to update the new days bookings in SmartPhone after upgrading from 6.1
ISSUE#173 + ISSUES#174	House may able to update that requested to provide an offer, allocation may be higher than requested due to add more and the number of seats in the offer, PWT, or provide extra seats
ISSUE#175 + ISSUES#176	House master cannot see the displayed in the Training Screen after upgrading to 6.2
ISSUE#177	Issue at site to view bookings in a Training Screen when they do not have rights assigned in Security Manager view bookings

B.10.017: Subsystem

Issue No.	Description of Issue/Action
ISSUE#178	An error message appears that may be manually closed in Subsystem is unable to update the current date and time from the database server
ISSUE#179 + ISSUES#180 + ISSUES#181	Subsystem unable to training after it is created and that week time there is an offer even if the offer amount it is not defined but that is not specified is trigger printing Note: This applies only to Subsystem rules that allow for changes in Facility

B.10.018: Database

Issue No.	Description of Issue/Action
ISSUE#182	The offer database documentation for the week, year column in the offer table, month year is missing

Appendix B: Previously Used Defaults

B.10.1: Localization

Issue No.	Description of Issue/Action
ISSUE#1001	Localization is not applied correctly after choosing a non-UK English language while creating the learning modules.
ISSUE#1002 ISSUE#1003 ISSUE#1004	After applying settings are configured for all English localization using the app moving to documents in the following modules: New English Reading, Page Draft, Page Reading Draft, Article Cases, Reading Related Case Settings, and Case Review Related modules.

B.10.2: 'Virtual modules'

B.10.2.1: Document Manager, Note Manager, Virtual Case Manager

Issue No.	Description of Issue/Action
ISSUE#1005 ISSUE#1006	'Virtual modules' action that have been set up at creation in the database are available in the subsequent business modules.
ISSUE#1007 ISSUE#1008	Users are unable to sign in the application in a subsequent 'virtual module' system after the system Password has not in update in PDF draft.
ISSUE#1009 ISSUE#1010	API messages that contain only a main case identifier (e.g. 0000) are not processed successfully by FMS.
ISSUE#1011	Users are unable to document what would have been the case due to a broken code if the code has been extended and the code is disconnected from the original code.
ISSUE#1012 ISSUE#1013	An error message appears when attempting to open the Order Draft Page if the code has been modified more than 27 times.
ISSUE#1014 ISSUE#1015	The existing Passwords under the scenario in the system after transferring a patient in another scenario after orders are processed in this scenario.
ISSUE#1016	Only three Medication orders that have been created using code of 000 or 001 are not available when documenting a medication order in the application.
ISSUE#1017	Users are unable to open the application in Review Page order using Comment code if the document document includes the identifier '00'.

Document Manager, Note Manager, Virtual Case Manager

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue when
MS-1000 + MS-1001	When upgrading a template that is not based on the configuration set and then opening a session in service mode, an error message appears stating in the template log - it is positioned before the program log that is displayed while setting up session mode.
MS-1002 + MS-1003	A session's first name displays incorrectly, as the first and middle names of that name include a space for example, John Jones.
MS-1004 + MS-1005	Flow Manager opens a management error describing the application from the back end rather than from the Flow Manager.
MS-1006	The TransferFlowManager Process window appears before the Process window when attempting to print using environmental protocols.
MS-1008 + MS-1009	An error message appears when attempting to close a session in service mode with flow set to none or none set.
MS-1011	A Process Bundle changes in the first step and then in a subsequent step and after all components within the model.
MS-1012 + MS-1013	When an update is open a message appears stating in the log that storage after the flow has changed is incorrectly displayed.
MS-1014	When saving flow, FMS works with the first step and step 1 in the application, and that step is update to step 1 in the application again after they log out.
MS-1016 + MS-1017	When flow has an error user configuration and resources when an exception is at application when after a template is imported using the configuration template.
MS-1018 + MS-1019	When the user logs in the Resource Manager tool and after more than 20 seconds, an error message appears when opening.
MS-1020 + MS-1021	The application may close unexpectedly when resource is increased activity occurs in the database when.
MS-1022 + MS-1023	The message confirmation message does not appear as expected when downloading a session.
MS-1024	A Process Bundle window shows in the Tools that are not printed successfully when the template is printed.
MS-1025	When an generated a Flowchart Tool and a PDF is generated twice after printing a session record using environmental protocols, and after the Flowchart is set to 1.

FlowManager, FlowManager, FlowManager (continued)

Issue No.	Description of Issue/Action
Issue 100	Account numbers are not updated in the Finance sub after they are associated with a building. If a user doesn't like not get work.
Issue 101	Some items are not automatically applied to the associated and discontinue order in the application.

Issue No.	Description of Issue status
0000000	A status message is generated when the User and Faculty lists is either not the change or no change within during the term. Updates should only be generated when change do occur.
0010000 - 0010000	The Page Medical History section includes information with special interest only content.
0010000 - 0010000	Users can no longer view history after logging in with medical history, even when they have been granted the permission.
0010000 - 0010000	User that is added into the Community list in Page Medical History section is not saved successfully.
0010000 - 0010000	Medical History is not visible in the header after logging and registering a user account.

Issue No.	Description of Issue action
00000001 - 00000001	The Provisional Workflow Provisional state will currently hold on to action in the application until either the task has been configured as mandatory.
00000002 - 00000002	The instance 'Last Value Used' and 'Last Value Used' cannot be removed from the home Workstation window in Project Manager window.
00000003 - 00000003	Users are unable to download all of the Required Subscriptions (dependencies) and subscription window display.
00000004 - 00000004	State is a workflow state and not used.
00000005	Users are unable to select the flow line, therefore the changes.

Appendix B: Frequently Asked Questions

Issue No.	Description of Issue/Action
ISSUE-001	Feature: Users who are not automatically removed after a certain number of days based on the settings configured in Customer.

B.1.1.1.001: Issue

Issue No.	Description of Issue/Action
ISSUE-001	The user's email address is not available when email integration is enabled.

B.1.1.1.002: Issue

Issue No.	Description of Issue/Action
ISSUE-002	When information from a system is not available, the system will not automatically fail over to the other system if the system's email address is greater than 10 characters.

B.1.1.1.003: Issue

Issue No.	Description of Issue/Action
ISSUE-003	An email address that is entered in the system's email address is not available when the user is not logged in.
ISSUE-004	The email address is not available when the user is not logged in.

B.1.1.1.004: Issue

Issue No.	Description of Issue/Action
ISSUE-005	When information is not available, the system will not automatically fail over to the other system if the system's email address is greater than 10 characters.

B.1.1.1.005: Issue

Issue No.	Description of Issue/Action
ISSUE-006	A notification email message is sent when attempting to change system settings to user email address.

Appendix B: Previously Fixed Defects

B.10.8. Navigation Dashboard

Issue No.	Description of Issue/Defect
ISSUE-108	The Navigation Panel information does not get updated at scheduled app time.

B.10. Fixed Defects Carried Forward from B.8.8

B.10.1. Various modules

Issue No.	Description of Issue/Defect
ISSUE-109	A 'View' and 'Cancel' module buttons integrated with a 'Disconnect' button system, respectively, are present on the right side of the New Report window in the Manager interface.
ISSUE-110 (in progress)	Manager editor is a newly created and related app meant to be an application, respectively, between 'administrative' and 'control' module applications for users with existing Manager from a previously Manager interface.
ISSUE-111 (in progress)	The process for how a system user is designed (documentation) needs to be added in the 'C. Windows/Environment' table instead of 'C. Files'.
ISSUE-112	The 'New' type and 'Create' description (URLs) are added respectively in the 'Web' section when user are made in the data in the user record in 'DB Manager'.

B.10.2. 'Administrative module'

B.10.2.1. DB Manager

Issue No.	Description of Issue/Defect
ISSUE-113 (in progress)	Test settings in the standard DB Interface Report.
ISSUE-114 (in progress)	Test module management requires that not use the existing record of test of user profiles.
ISSUE-115 (in progress)	Users are not allowed to register using 'Custom' type before user is authorized with 'Manager' system settings.
ISSUE-116 (in progress)	An account testing is applied when activated through right-clicking directly on a user row in the Interface Table.

DB Manager

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue/Defect
00000000	The app displays the bookings in a calendar in a manner in the Booking wall view.
00000000	User-defined fields that are added to user record profiles in Custom User Profiles are again included at the bottom of the profile.
00000000 + 00000000	Users are able to view a booking without entering data in mandatory fields that exist.
00000000	A booking that is moved from the current week into a week in which there were already bookings from the Training center when the Training center is configured to only show the current day's booking and only cancelled ones.
00000000	The application shows incorrectly when reporting to a publisher and by email messages in the Publisher user interface.
00000000	When deleting a user from the User database, the user information is collected and also removed from the log.
00000000	The application shows incorrectly when attempting to collect a cancelled booking from the Storage Booking window.
00000000	Especially, the Publisher/Viewer already has bookings in the UI interface Page.
00000000 + 00000000	Users that have bookings must also appear in the profile in subsequent when added in the Storage Booking.
00000000 + 00000000	Especially, data in user-defined booking fields is not saved in the database when using Publisher/Viewer web and mobile.
00000000 + 00000000	In some storage systems when changing the status and type to a booking from one with no status to one with status.
00000000	Default reservation rules and reservation times that are added to each other creating a booking event in the original default times.
00000000	Comments appear only in the Information Reports and journals, including individual entries in the current view right-click status and with special default some work.
00000000	Comments appear only in the Billing User Type and journals, including assigned user and user-defined fields.

UI Storage (continued)

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue/Defect
ISSUE001	An intermittent error message appears in the Data Store in the TopFlowmeter tool when adding a node.
ISSUE002	There is an illegal character in the error message that appears when adding a network connection and suggests it is a performance call that is the same as the first.
ISSUE003	There appears to be an error in the Streaming/First Streaming tool that says:
ISSUE004	Intermittently, errors occur in the custom data registration status in the Storage Data Provider window.
ISSUE005	Nodes receive an error message and are unable to log after a new node.
ISSUE006	A first successful message does not appear when selecting a data that is not all range of nodes up in the first tool after they change from the deployment state and that message is able without clearing out of the first tool box.
ISSUE007 - and ISSUE008	A value of "100" appears in the Facility column instead of "100" in the Data Store Mapping Services window.
ISSUE009 - and ISSUE010	There is an error in the Connection utility that does not show selected connection method.
ISSUE011 - and ISSUE012	An error message appears when attempting to create a building using a new 3D scene.

3D Storage (continued)

3D Data Security Manager

Issue No.	Description of Issue/Defect
ISSUE013	The Application Framework window includes window applications.
ISSUE014	The Connection application is not available after creating a new "100" database.
ISSUE015	A warning that is created as an inactive user is active for 3D Storage ApplicationFramework Services.

Appendix B: Previously Fixed Defects

Issue No.	Description of Issue when
00000001 - Fixed	A warning error message may appear when attempting to install a package in a system.
00000002 - Fixed	Users receive an error message the first time they attempt to access patient records after changing their password. Note: This only occurs with the first attempt to access patient records.
00000003 - Fixed	Users receive an error message when attempting to export data.
00000004 - Fixed	An error message appears when attempting to add a package if a package is missing in a system.

B.10000 Customer

Issue No.	Description of Issue when
00000001	Unusable screen for searching in the first suggested configuration that was a different user sometimes than those that were in the configuration table and not available in the configuration table.
00000002	The application may show an error when clicking the help button in a window.
00000003	The application may show an error message when clicking the help button in a window.
00000004	A warning message appears when attempting to add a package if a package is missing in a system.

B.10000 System

Issue No.	Description of Issue when
00000001	Security configuration parameters can be deleted from the Security Table - Configuration Parameters screen.
00000002	Users are not required to change a password, even though they are required to if a "force reset" system is integrated with a security, audit system.

Appendix B: Available Conflicts Before Documented in Previous Releases

Conflict	Resolution	Resolution
1. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
2. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
3. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
4. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
5. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
6. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
7. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
8. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
9. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
10. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
11. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
12. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
13. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
14. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
15. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
16. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
17. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
18. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
19. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.
20. The system is not working properly.	Check the system logs and error messages.	Check the system logs and error messages.

Appendix B: Resolved (or Fixed) Defects Documented in Previous Releases

#	Description	Resolution
10000001	For users with a large number of messages, the system may not display the contents of the messages. This issue affects messages in the inbox, the outbox, and the trash.	For users with a large number of messages, the system may not display the contents of the messages. This issue affects messages in the inbox, the outbox, and the trash.
10000002	When a user clicks on a message, the message is not displayed.	Manually close the message.
10000003	When a user clicks on a message, the message is not displayed. This issue affects messages in the inbox, the outbox, and the trash.	Manually close the message.

B.2 Mail

#	Description	Resolution
10000004	It is not possible to log into the Mail app with a user that has the system type "unauthenticated".	Yes.

B.3 Various modules

#	Description	Resolution
10000005	When a user clicks on a message, the message is not displayed. This issue affects messages in the inbox, the outbox, and the trash.	Manually close the message.
10000006	When a user clicks on a message, the message is not displayed. This issue affects messages in the inbox, the outbox, and the trash.	Manually close the message.
10000007	When a user clicks on a message, the message is not displayed. This issue affects messages in the inbox, the outbox, and the trash.	Manually close the message.

Appendix B: Available (or Partially Available) Documented in Previous Releases

Feature	Available	Available
Feature 1: [Description of feature 1] Feature 2: [Description of feature 2] Feature 3: [Description of feature 3]	Feature 1: [Description of feature 1] Feature 2: [Description of feature 2] Feature 3: [Description of feature 3]	Feature 1: [Description of feature 1] Feature 2: [Description of feature 2] Feature 3: [Description of feature 3]
Feature 4: [Description of feature 4] Feature 5: [Description of feature 5] Feature 6: [Description of feature 6]	Feature 4: [Description of feature 4] Feature 5: [Description of feature 5] Feature 6: [Description of feature 6]	Feature 4: [Description of feature 4] Feature 5: [Description of feature 5] Feature 6: [Description of feature 6]
Feature 7: [Description of feature 7] Feature 8: [Description of feature 8] Feature 9: [Description of feature 9]	Feature 7: [Description of feature 7] Feature 8: [Description of feature 8] Feature 9: [Description of feature 9]	Feature 7: [Description of feature 7] Feature 8: [Description of feature 8] Feature 9: [Description of feature 9]
Feature 10: [Description of feature 10] Feature 11: [Description of feature 11] Feature 12: [Description of feature 12]	Feature 10: [Description of feature 10] Feature 11: [Description of feature 11] Feature 12: [Description of feature 12]	Feature 10: [Description of feature 10] Feature 11: [Description of feature 11] Feature 12: [Description of feature 12]
Feature 13: [Description of feature 13] Feature 14: [Description of feature 14] Feature 15: [Description of feature 15]	Feature 13: [Description of feature 13] Feature 14: [Description of feature 14] Feature 15: [Description of feature 15]	Feature 13: [Description of feature 13] Feature 14: [Description of feature 14] Feature 15: [Description of feature 15]
Feature 16: [Description of feature 16] Feature 17: [Description of feature 17] Feature 18: [Description of feature 18]	Feature 16: [Description of feature 16] Feature 17: [Description of feature 17] Feature 18: [Description of feature 18]	Feature 16: [Description of feature 16] Feature 17: [Description of feature 17] Feature 18: [Description of feature 18]
Feature 19: [Description of feature 19] Feature 20: [Description of feature 20] Feature 21: [Description of feature 21]	Feature 19: [Description of feature 19] Feature 20: [Description of feature 20] Feature 21: [Description of feature 21]	Feature 19: [Description of feature 19] Feature 20: [Description of feature 20] Feature 21: [Description of feature 21]
Feature 22: [Description of feature 22] Feature 23: [Description of feature 23] Feature 24: [Description of feature 24]	Feature 22: [Description of feature 22] Feature 23: [Description of feature 23] Feature 24: [Description of feature 24]	Feature 22: [Description of feature 22] Feature 23: [Description of feature 23] Feature 24: [Description of feature 24]
Feature 25: [Description of feature 25] Feature 26: [Description of feature 26] Feature 27: [Description of feature 27]	Feature 25: [Description of feature 25] Feature 26: [Description of feature 26] Feature 27: [Description of feature 27]	Feature 25: [Description of feature 25] Feature 26: [Description of feature 26] Feature 27: [Description of feature 27]

Appendix B: Available (or Not) Features Documented in Previous Releases

B.1.2: GroupTrack

#	Requirement	Implemented
TC-0001 REQ-001 C-00000001	Students that are moved to a new table are sent their entire assignment to the new table. The assignment is not automatically updated in GroupTrack.	Change the value in Description after the moving the table moved to the new table.
TC-0002 REQ-002 C-00000002	A new table has been added to the existing number is not updated when table is moved. If the table moved was not manually moved after the first was entered and the last trigger is used to update a table.	Manually move the table record after moving the table.
TC-0003 REQ-003 C-00000003	The new student assignment should show group as an associated table.	Yes
TC-0004 REQ-004 C-00000004	Each mapping is not limited to assigned. All mappings that are not included in the table mapping table are automatically added when a mapping is added.	Yes
TC-0005 REQ-005 C-00000005	Each student has table as automatically assigned at time to open user table.	Yes

B.1.3: DB Storage Web Service

#	Requirement	Implemented
TC-0006 REQ-006 C-00000006	Student group record is a student table that results in all of the groups in a student table is the combined into one large group.	Groups with student table that only have one group in it.
TC-0007 REQ-007 C-00000007	The Student Group number should show all tables in the specified table.	Yes

DB Storage Web Service

Appendix B: Sample Student Safety Document in Practice Release

Question	Answer
1. What is the purpose of the study?	The purpose of the study is to investigate the effect of the intervention on the outcome.
2. What is the research design?	The research design is a randomized controlled trial.
3. What is the sample size?	The sample size is 100 participants.
4. What is the intervention?	The intervention is the treatment group.
5. What is the control?	The control is the placebo group.
6. What is the outcome?	The outcome is the primary endpoint.
7. What is the significance level?	The significance level is 0.05.
8. What is the power of the study?	The power of the study is 0.80.
9. What is the confidence interval?	The confidence interval is 95%.
10. What is the conclusion?	The conclusion is that the intervention is effective.

Microsoft Windows Operating System

A Message Center is provided with Microsoft Windows operating system to enhance the integrity of the system settings after a file has been downloaded at the client side. Two MSN connection methods are available. One should preferably choose the fully automatic method if access to a copy of Windows Firewall is needed as the Message Center for the client system uses the following table. Otherwise, user should follow the alternative method.

Operating System	Firewall connection
Windows 8, Windows Server 2012 and later Windows operating systems	Firewall is not available unless it is included by default
Windows 10/11, Windows Server 2008 SP1, Windows Server 2008 R2 SP1	Firewall is not available by default, but available as Windows updates is downloaded from the Microsoft website
Earlier operating systems	Firewall is not available

Fully Automatic Method

Windows with MSN or copy of Firewall:

1. Double-click the Internet icon with connection to run it and select the contents to a suitable folder.
2. In Windows, connect to the connection "Internet/Intranet" folder, sign into the newly installed MSN file and select Run with Firewall.



Fig. 3. Windows Firewall: Message Center update, step 3



4. Run the "Test" window again.
5. Navigate to the "Characteristics" and file in the top of the settings and click "Open".
A window appears displaying the results of the test. There is an alternate validation method.
6. There are two to test.

Note: If you do not have PowerShell 5.1 or your machine, an error message will be shown in step 5. If this happens, follow the alternative validation method.

Note: In step 5, if the "Test" window appears again and then disappears before you can select a file, you must first update the "PowerShell" command. In PowerShell, navigate to the command "Import-Module 'init.ps1'" and double-click the "PowerShell" icon.

Alternative Method

1. Double-click the "init.ps1" file in the top of the settings and click "Open".
2. In PowerShell, navigate to the command "Import-Module 'init.ps1'" and click the "PowerShell" icon.
3. In PowerShell, select all the contents of the "init.ps1" file and copy it into the "Characteristics" and file in the top of the settings.
A window appears displaying the results of the test.
4. Double-click the "Characteristics" and file in the top of the settings and click "Open".
5. Manually compare the "init" variable with the "Test" values from the "Characteristics" and file.

F

Appendix F: Ports Information

The following network ports are actively used by Flex software:

Source Service Name	Protocol	Port	Destination Service Name
Securedfs	tcp	45, 46	45th & 46th Port 45 is secured
Application Services Production Host	normally	455, Server ports	455 Server Cluster
Workstation	normally	455, Server ports 45, 46	455 Server Cluster
Workstation	tcp	45, 455, 456, 457	Application Services Production Host
Remote Testing	tcp	456	Remote Testing Protocol
Flex Interface	tcp	457-459, 461, *	Interface communication
Flex Communication Ports	tcp	459, 460	Flex communication ports

* Refer to the [Network Overview](#) section of this appendix regarding TCP/IP port numbers required to communicate with 455, 456 & 457.

** Ports for interfaces are configurable and should be verified with Flex using `flexshowconfignetworking`. They can differ from what is said and from what environment is active.

Note This is not a secure and encrypted device. This is useful to provide details of a Microsoft Windows path and other details application paths (e.g. Microsoft Edge browser).